PLANT FACT SHEET

Ozoroa dispar (C. Presl.) R. Fern. & A. Fern.

GENUS *Ozoroa* **FAMILY** Anacardiaceae

COMMON NAMES Namaqua resin-tree

EDIBLE PARTS AND USES

Edible parts: Sap, Fruit

The sweet sap from broken stems is eaten.

DESCRIPTION

A small tree. It is erect and spreading. It grows 5 m tall. The leaves have a smell.

HABITAT

It is a subtropical plant. It grows on dry, rocky or sandy soil. It grows below 750 m altitude. It grows in areas with a very low rainfall between 100-150 mm per year. It can grow in arid places.

REFERENCES

INFOODS:FAO/INFOODS Databases

Royal Botanic Gardens, Kew (1999). Survey of Economic Plants for Arid and Semi-Arid Lands (SEPASAL) database. Published on the Internet; http://www.rbgkew.org.uk/ceb/sepasal/internet [Accessed 25th March 2011]

Ruiters-Welcome, A. K., 2019, Food plants of southern Africa. Ph.D. thesis. Univ. of Johannesburg p 14

Wehmeyer, A. S, 1986, Edible Wild Plants of Southern Africa. Data on the Nutrient Contents of over 300 species.

Welcome, A. K. & Van Wyk, B.-E., 2019, An inventory and analysis of the food plants of southern Africa. South African Journal of Botany 122 (2019) 136–179

World Checklist of Useful Plant Species 2020. Royal Botanic Gardens, Kew

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/050c3a3f-4593-447b-85f3-059457461745