PLANT FACT SHEET

Lomatium canbyi Coult. & Rose

GENUS *Lomatium* **FAMILY** Apiaceae

COMMON NAMES Canby's Biscuitroot, Canby's desert parsley

EDIBLE PARTS AND USES

Edible parts: Root, Seeds

The roots are eaten raw, boiled or steamed. They are also dried.

DESCRIPTION

A low growing herb. It has a tap-root. The leaves are mostly near the base. They are finely divided. The flowers are white and in umbrella-like clusters.

HABITAT

It is a temperate plant. It grows on dry rocky slopes.

REFERENCES

Couture, M. D., 1978, Recent and Contemporary Foraging Practices of the Harney Valley Paiute. Thesis, Portland State University

Coutre, M. D., et al, 1986, Foraging Behaviour of a Contemporary Northern Great Basin Population. Journal of California and Great Bason Anthropology Vol. 8(2) pp 150-160

Hunn, E. S., & French, D. H., 1981, Lomatium: A Key Resource for Columbia Plateau Native Subsistence. Northwest Science Vol. 55 No. 2.

Moerman, D. F., 2010, Native American Ethnobotany. Timber Press. p 313

Plants for a Future database, The Field, Penpol, Lostwithiel, Cornwall, PL22 0NG, UK. http://www.scs.leeds.ac.uk/pfaf/

Tozer, F., 2007, The Uses of Wild Plants. Green Man Publishing. p 114

Turner, N., 1997, Food Plants of Interior First Peoples. Royal BC Museum Handbook p 80

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/128f61cb-1672-42e1-bb87-6bb02d451caf