PLANT FACT SHEET

Seseli libanotis (L.) W. D. J. Koch

GENUS *Seseli* **FAMILY** Apiaceae

COMMON NAMES Hsieh Hao, Meadow saxifrage, Moon-carrot

EDIBLE PARTS AND USES

Edible parts: Leaves, Root

The leaves are boiled and eaten with oil and salt. They are used in salads.

DESCRIPTION

A herb. It grows 40-120 cm tall. The stems are erect and branching. The leaves are alternate and lower leaves have stalks while the upper leaves do not have stalks. The leaflets are bluish green underneath. The flowers are white and 5 mm wide.

HABITAT

It is a temperate plant.

REFERENCES

Dogan, A., et al, 2014, A review of edible plants on the Turkish Apiaceae species. J. Fac. Pharm. Istanbul, 44(2) pp 251-262

Ertug, F, Yenen Bitkiler. Resimli Türkiye Florası -I- Flora of Turkey - Ethnobotany supplement

http://www.botanic-gardens-ljubljana.com/en/plants

Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 12(1):111. 1824

Plants for a Future database, The Field, Penpol, Lostwithiel, Cornwall, PL22 0NG, UK. http://www.scs.leeds.ac.uk/pfaf/

READ

Wikipedia

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/153e826d-028b-4291-9a09-779f40d1a06e