PLANT FACT SHEET

Caulerpa racemosa var. laetevirens Weber, (Mont.) W. v. B.

GENUS *Caulerpa* **FAMILY** Caulerpaceae

EDIBLE PARTS AND USES

Edible parts: Algae, Frond, Seaweed

The fronds can be eaten as a salad vegetable.

DESCRIPTION

A seaweed. The small branches are cylinder shaped and are produced along only 2 sides of the axis.

Now Caulerpa chemnitzia (Esper) J. V. Lamouroux.

HABITAT

It grows near the tidal level and in sheltered and partly exposed shores. It grows in subtropical waters.

REFERENCES

Burkill, I.H., 1966, A Dictionary of the Economic Products of the Malay Peninsula. Ministry of Agriculture and Cooperatives, Kuala Lumpur, Malaysia. Vol 1 (A-H) p 504 (As Caulerpa laetivirens)

Cribb, A.B., 1996, Seaweeds of Queensland A Naturalist's Guide. The Queensland Naturalists' Club Handbook No. 2. p 19

Womersley, H.B. S. & Bailey, A., 1970, Marine algae of the Solomon Islands. Philosophical Transactions of the Royal Society of London. B. Biological Sciences 259:257-352

Wang, Wei-Lung and Chiang, Young-Meng, 1994, Potential Economic Seaweeds of Hengchun Peninsula, Taiwan, Economic Botany, Vol. 48, No. 2, pp. 182-189

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/1bb20e0d-b9e6-41e5-93ec-39e378a97d58