PLANT FACT SHEET

Ribes cereum var. inebrians (Lindl.) C. L. Hitchc.

GENUS *Ribes* **FAMILY** Grossulariaceae

COMMON NAMES Whisky currant, Squaw currant

EDIBLE PARTS AND USES

Edible parts: Fruit, Leaves

The fruit are eaten fresh. They are also preserved and eaten.
The fresh leaves are eaten with meat fat.

DESCRIPTION

A erect shrub. It has many branches. It grow 1.3 m tall. The leaves have 3-5 lobes. They have glands underneath. The flowers are pink and in small groups. The fruit are red and have glands.

HABITAT

It is a Mediterranean to subtropical plant.

NOTES

There are about 150 Ribes species.

REFERENCES

Beckstrom-Sternberg, Stephen M., and James A. Duke. "The Foodplant Database." http://probe.nalusda.gov:8300/cgi-bin/browse/foodplantdb. (ACEDB version 4.0 - data version July 1994) (As Ribes inebrians)

Edward's Bot. Reg. 17: t. 1471. 1832 (As Ribes inebrians)

MINNIS, (As Ribes inebrians)

Moerman, D. F., 2010, Native American Ethnobotany. Timber Press. p 476 (As Ribes cereum var. pedicellare)

Plants for a Future database, The Field, Penpol, Lostwithiel, Cornwall, PL22 0NG, UK. http://www.scs.leeds.ac.uk/pfaf/ (As Ribes inebrians)

WHITING, (As Ribes inebrians)

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/2e5dd50e-58cb-4724-a5e5-4083f82c8389