PLANT FACT SHEET

Cerinthe minor subsp. auriculata (Ten.) Domac

GENUS *Cerinthe* **FAMILY** Boraginaceae

EDIBLE PARTS AND USES

Edible parts: Leaves

The leaves are boiled and roasted.

DESCRIPTION

A herb.

HABITAT

It is a temperate plant.

REFERENCES

Cakir, E. A., 2017, Traditional knowledge of wild edible plants of Iğdır Province (East Anatolia, Turkey). Acta Soc Bot Pol. 2017;86(4):3568.

Dogan, A. & Tuzlaci, E., 2015, Wild Edible Plants of Pertek (Tunceli-Turkey). Marmara Pharmaceutical Journal 19: 126-135

Ertug, F, Yenen Bitkiler. Resimli Türkiye Florası -I- Flora of Turkey - Ethnobotany supplement

Nadiroglu, M. & Behcet, L., 2018, Traditional food uses of wild plants among the Karlıova (Bingöl-Turkey). International Journal of Nature and Life Sciences (IJNLS). Vol. 2(2) p 63

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/35f3d60c-ecef-4280-a686-692b122bdeee