PLANT FACT SHEET

Vasconcellea candicans (A. Gray) A. DC.

GENUS *Vasconcellea* **FAMILY** Caricaceae

COMMON NAMES Mito

EDIBLE PARTS AND USES

Edible parts: Fruit

The fruit are eaten raw and used in jellies and preserves.
They are also used in vegetable and savoury dishes.

DESCRIPTION

A tree.

HABITAT

It is a tropical plant.

NOTES

There are 22 (45) Carica species.

REFERENCES

Badillo, V. M. 2000. Carica L. vs. Vasconcella St. Hil. (Caricaceae) con la rehabilitacion de este ultimo. Ernstia 10:76

GRIN

Heywood, V.H., Brummitt, R.K., Culham, A., and Seberg, O. 2007, Flowering Plant Families of the World. Royal Botanical Gardens, Kew. p 88

Kermath, B. M., et al, 2014, Food Plants in the Americas: A survey of the domesticated, cultivated and wild plants used for Human food in North, Central and South America and the Caribbean. On line draft. p 900

Martin, F. W., et al, 1987, Perennial Edible Fruits of the Tropics. USDA Handbook 642 p 90 (As Carica candicans)

Torre, de la, L., et al, 2008, Enciclopedia de las Plantas Útiles del Ecuador. Herbario QCA. Pontificia Universidad Católica del Ecuador. p 275

C. Wilkes, U.S. Expl. Exped., Phan. 15:640. 1854

Van den Eynden, V., et al, 2003, Wild Foods from South Ecuador. Economic Botany 57(4): 576-603

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/40a199a5-020c-45f2-8e69-d2777b89442f