PLANT FACT SHEET

Inga umbellifera (Vahl) Steud. ex DC.

GENUS *Inga* **FAMILY** Fabaceae

COMMON NAMES Umbellate inga

EDIBLE PARTS AND USES

Edible parts: Fruit - aril, pod

The pulp of the fruit is eaten.

DESCRIPTION

A tree. The fruit is a long pod.

HABITAT

It is a tropical plant.

PRODUCTION

Cultivation

Plants grow easily from fresh seeds. Seeds germinate in 1-2 weeks given moisture and shade.

REFERENCES

Duke, J. A., Amazonian Ethnobotanical Dictionary (As Inga myriantha)

Grandtner, M. M. & Chevrette, J., 2013, Dictionary of Trees, Volume 2: South America: Nomenclature, Taxonomy and Ecology. Academic Press p 327

Kermath, B. M., et al, 2014, Food Plants in the Americas: A survey of the domesticated, cultivated and wild plants used for Human food in North, Central and South America and the Caribbean. On line draft. p 448

Kew Plants of the World On line

Reis, S. V. and Lipp, F. L., 1982, New Plant Sources for Drugs and Foods from the New York Botanical Garden herbarium. Harvard. p 116

Roa, J. A. G. & Boada, D. S. G., 2018, Fundación para el Fortalecimiento de la Fruticultura y Plantas Alimenticias no Convencionales en Colombia.

Torre, de la, L., et al, 2008, Enciclopedia de las Plantas Útiles del Ecuador. Herbario QCA. Pontificia Universidad Católica del Ecuador. p 348

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/500b6b89-ccf1-40dd-a6da-699c1dfe384f