PLANT FACT SHEET

Scorzonera cana (C. A. Mey.) Hoffm.

GENUS *Scorzonera* **FAMILY** Asteraceae

COMMON NAMES Salsify, Dog's scorzonera

EDIBLE PARTS AND USES

Edible parts: Leaves, Stems, Roots

The leaves are eaten in salads or alone. They are also used in soups.

DESCRIPTION

A herb. It grows 15-50 cm tall. The leaves vary. Leaves on the stem are narrowly oval and 15 cm long by 7 cm wide. It has lobes along the side.

HABITAT

It is a Mediterranean climate plant.

REFERENCES

Baydoun, S., et al, 2023, Wild leafy Vegetables: A potential source for a traditional Mediterranean food from Lebanon. Frontiers in Sustainable Food Systems. 6:991979

Borelli, T., et al, 2022, Assessment of the Nutritional Value of Selected Wild Food Plants in Türkiye and Their Promotion for Improved Nutrition. Sustainability 2022,14,11015.

Cakir, E. A., 2017, Traditional knowledge of wild edible plants of Iğdır Province (East Anatolia, Turkey). Acta Soc Bot Pol. 2017;86(4):3568 (As Podospermum canum)

Demir, I. & Ayaz, N., 2022, Wild edible plants contributing to the traditional foods of Mardin (Turkey) Province. Indian Journal of Traditional Knowledge Vol 21(3), July 2022, pp 569-582 (As Scorzonera cana var. jacquiniana)

Dogan, Y., 2012, Traditionally used wild edible greens in the Aegean Region of Turkey. Acta Societatis Botanicorum Poloniae 81(4): 329-342

Dogan, Y. et al, 2013, Wild Edible Plants sold in the Local Markets of Izmir, Turkey. Pak. J. Bot. 45(S1): 177-184

Ertug, F., 2004, Wild Edible Plants of the Bodrum Area. (Mugla, Turkey). Turk. J. Bot. 28 (2004): 161-174

Ertug, F, Yenen Bitkiler. Resimli Türkiye Florası -I- Flora of Turkey - Ethnobotany supplement

Ertug, F, Yenen Bitkiler. Resimli Türkiye Florası -I- Flora of Turkey - Ethnobotany supplement (As Scorzonera cana var. jacquiniana)

Geraci, A., et al, 2018, The wild taxa utilized as vegetables in Sicily (Italy): a traditional component of the Mediterranean diet. Journal of Ethnobiology and Ethnomedicine (2018) 14:14

Kargıoğlu, M., et al, 2008, An Ethnobotanical Survey of Inner-West Anatolia, Turkey. Hum Ecol (2008) 36:763–777

Pasta, S., et al, 2020, An Updated Checklist of the Sicilian Native Edible Plants: Preserving the Traditional Ecological Knowledge of Century-Old Agro-Pastoral Landscapes. Frontiers in Plant Science. Volume 11|Article 388 (As Podospermum canum)

Pieroni, A., et al, 2020, Wild food plants traditionally gathered in central Armenia: archaic ingredients or future sustainable foods? Environment, Development and Sustainability. Springer p 9 (As Podospermum canum)

Rivera, D. et al, 2006, Gathered Mediterranean Food Plants - Ethnobotanical Investigations and Historical Development, in Heinrich M, Müller WE, Galli C (eds): Local Mediterranean Food Plants and Nutraceuticals. Forum Nutr. Basel, Karger, 2006, vol 59, pp 18–74

Senkardes, I., et al, 2019, An Ethnobotanical Analysis on Wild Edible Plants of the Turkish Asteraceae Taxa. Agric. conspec. sci. Vol. 84 No. 1 (17-28)

Senkardes, I., et al, 2019, An Ethnobotanical Analysis on Wild Edible Plants of the Turkish Asteraceae Taxa. Agric. conspec. sci. Vol. 84 No. 1 (17-28) (As Scorzonera cana var. jacquiniana)

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/5af4b49e-b658-4783-afca-5d2ab0e80e37