PLANT FACT SHEET

Eschweilera coriacea (DC.) S. A. Mori

GENUS *Eschweilera* **FAMILY** Lecythidaceae

COMMON NAMES Monkey Chestnut

EDIBLE PARTS AND USES

Edible parts: Seeds, Nuts, Oil

The seeds without the shell is eaten raw.

DESCRIPTION

A tree. It grows 15-35 m tall. The trunk is straight and 50-90 cm wide. It can have buttresses.

HABITAT

It is a tropical plant.

PRODUCTION

Cultivation

It can be grown from fresh ripe seeds.

REFERENCES

Fouqué, A. 1972. Espèces fruitières d'Amérique tropicale. Institut français de recherches fruitierès outre-mer

Ferns, Useful Tropical Plants

Kew Plants of the World Online

Maezumi, S. Y., et al, 2018, The legacy of 4,500 years of polyculture agroforestry in the eastern Amazon. Open Research Exeter. p 38

Menninger, E.A., 1977, Edible Nuts of the World. Horticultural Books. Florida p 36 (As Lecythis grandifolia)

Mori, S. A. & G. T. Prance. 1990. Lecythidaceae - Part II. The zygomorphic-flowered New World genera (Couroupita, Corythophora, Bertholletia, Couratari, Eschweilera, & Lecythis). In: Organization for Flora Neotropica, ed., Fl. Neotrop. Monogr. 21(2):277–282.

Roa, J. A. G. & Boada, D. S. G., 2018, Fundación para el Fortalecimiento de la Fruticultura y Plantas Alimenticias no Convencionales en Colombia.

Torre, de la, L., et al, 2008, Enciclopedia de las Plantas Útiles del Ecuador. Herbario QCA. Pontificia Universidad Católica del Ecuador. p 402

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/6a97ac1a-7d57-42c3-8af8-4b92efba2098