PLANT FACT SHEET

Chaerophyllum macropodum Boiss.

GENUS *Chaerophyllum* **FAMILY** Apiaceae

EDIBLE PARTS AND USES

Edible parts: Leaves - spice, Stems

The fresh plant is eaten after peeling off the outer part.
The leaves are used as a spice in cheese.

DESCRIPTION

A herb.

HABITAT

It is a temperate plant.

REFERENCES

Coruh, et al., 2007, Antioxidant properties of Prangos ferulacea (L.) Lindl., Chaerophyllum macropodum Boiss. and Heracleum persicum Desf. from Apiaceae family used as food in Eastern Anatolia and their inhibitory effects on glutathione-S-transferase. Food Chemistry 100: 1237-1242

Dogan, A., et al, 2014, A review of edible plants on the Turkish Apiaceae species. J. Fac. Pharm. Istanbul, 44(2) pp 251-262

Ertug, F, Yenen Bitkiler. Resimli Türkiye Florası -I- Flora of Turkey - Ethnobotany supplement

Mukemre, M., et al, 2016, Survey of wild food plants for human consumption in villages of Catak, (Van-Turkey), Indian Journal of Traditional Knowledge. Vol. 15(2) pp. 183-191

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/6dab3f47-bbff-4cd1-889a-d3e3127735d2