PLANT FACT SHEET

Aloe cooperi Baker

GENUS *Aloe* **FAMILY** Asphodelaceae

COMMON NAMES Cooper's aloe, Icena

EDIBLE PARTS AND USES

Edible parts: Stalk, Leaves

The inside of the stalk is removed and cooked.

DESCRIPTION

A herb. The leaves are in two ranks. They are rather soft. They taper from the base to the tip. They are 1 m long and 3-5 cm wide. There are soft teeth along the edge. The flowering stalk is 1 m high. They are orange of pink.

HABITAT

It is a subtropical plant.

NOTES

There are about 350-400 Aloe species.
Also put in the family Aloaceae. Also put in the family Asphodelaceae.

REFERENCES

HELY- HUTCHINSON

Long, C., 2005, Swaziland's Flora - siSwati names and Uses http://www.sntc.org.sz/flora/

Ogle, B. M. & Grivetti, L. E., 1984, Legacy of the Chameleon: Edible Wild Plants in the Kingdom of Swaziland, Southern Africa. A Cultural, Nutritional Study. Part 4 - Nutritional Analysis and Conclusions. Ecology of Food and Nutrition. Vol 17, pp 431-64

Peters, C. R., O'Brien, E. M., and Drummond, R.B., 1992, Edible Wild plants of Sub-saharan Africa. Kew. p 9

Ruiters-Welcome, A. K., 2019, Food plants of southern Africa. Ph.D. thesis. Univ. of Johannesburg p 30

Swaziland's Flora Database http://www.sntc.org.sz/flora

Welcome, A. K. & Van Wyk, B.-E., 2019, An inventory and analysis of the food plants of southern Africa. South African Journal of Botany 122 (2019) 136–179

World Checklist of Useful Plant Species 2020. Royal Botanic Gardens, Kew

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/7349ca81-41e2-4991-ad10-3762c41bbf8e