PLANT FACT SHEET

Daemonorops ingens J. Dransf.

GENUS *Daemonorops* **FAMILY** Arecaceae

COMMON NAMES Keplar

EDIBLE PARTS AND USES

Edible parts: Fruit, Pith

The fleshy layer of the fruit is sweet and is eaten.

DESCRIPTION

A cane or rattan. It is large and can occur singly or in a cluster. It is something like Salacca. The leaves are large and the last leaflet has a single fold.

Possibly now Calamus ingens (J. Dransf.) W. J. Baker;

HABITAT

A tropical plant. It grows in damp slopes and along streams.

NOTES

There are 115 Daemonorops species.

REFERENCES

Chai, P. P. K. (Ed), et al, 2000, A checklist of Flora, Fauna, Food and Medicinal Plants. Lanjak Entimau Wildlife Sanctuary, Sarawak. Forestry Malaysia & ITTO. p 163

Dransfield, J., 1992, The Rattans of Sarawak, Kew. p 88

Hoare, A., 2003, Food use of the Lundayeh SW Sabah. Borneo Research Council.

Johnson, D.V., 1998, Tropical palms. Non-wood Forest products 10. FAO Rome. p 66

Milow, P., et al, 2013, Malaysian species of plants with edible fruits or seeds and their evaluation. International Journal of Fruit Science. 14:1, 1-27

PROSEA (Plant Resources of South East Asia) handbook, Volume 6, 1993, Rattans

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/89be8e3f-4e88-4840-b70b-9c6ac1c56a26