PLANT FACT SHEET

Fragaria viridis Weston

GENUS *Fragaria* **FAMILY** Rosaceae

COMMON NAMES Green strawberry, Hill strawberry

EDIBLE PARTS AND USES

Edible parts: Fruit, Leaves - tea

The fruit are eaten fresh. They are also used in jams and desserts.

DESCRIPTION

A herb. It keeps growing from year to year. It grows 25 cm high. The stem is upright and hairy. The fruit are greenish, tinged with red. The leaves are compound and have 3 leaflets. They have teeth around the edge. The end leaflet is small. The flowers are white and in groups 2.5 cm across.

HABITAT

It is a temperate plant. In Kazakhstan it grows on open grassy mountain slopes.

REFERENCES

Aipeisova S.A., et al, 2019, Wild useful herbs of Aktobe Region (Western Kazakhstan). Ukrainian Journal of Ecology, 9(3), 329-331

Bot. univ. 2:327. 1771 (A. N. Duchesne, Hist. nat. frais. 135. 1766, as "races principales") - Duchesne's (1766) usage of binary names for "races principales" do not qualify as species names

Ciocarlan, N. & Ghendov, V., 2015, Ethnobotanical and Ecological Studies of Wild Edible Plants from Bugeac Steppe, Republic of Moldova. Journal of EcoAgriTourism. Cailta terra Vol. 11(2):

Denes, A., et al, 2012, Wild plants used for food by Hungarian ethnic groups living in the Carpathian Basin. Acta Societatis Botanicorum Poloniae 81 (4): 381-396

Dzhangaliev, A. D., et al, 2003, The Wild Fruit and Nut Plants of Kazakhstan, Horticultural Reviews, Vol. 29. pp 305-371

Facciola, S., 1998, Cornucopia 2: a Source Book of Edible Plants. Kampong Publications, p 199

Hedrick, U.P., 1919, (Ed.), Sturtevant's edible plants of the world. p 316 (As Fragaria collina)

Ibrahimova, A., 2019, Wild Food Plants of Qakh District Azerbaijan, The Southeastern Caucasus: Diversity and Distribution Pattern along an Elevation Gradient. Plants & Fungal Reserach 2(2): 49-56

Jones, J.K., 1979, Strawberry, in Simmonds, N.W., (ed), Crop Plant Evolution. Longmans. London. p 237

Källman, S., 1980, FAO Report D 54012-H2, Sweden. "A literature study that is important for the knowledge and ideas about the selection and nutritional values of wild Swedish plants that can be used as food in emergency situations"

Kalle, R. & Soukand, R., 2012, Historical ethnobotanical review of wild edible plants of Estonia (1770s-1960s) Acta Societatis Botanicorum Poloniae 81(4):271-281

Luczaj, L., 2012, Ethnobotanical review of wild edible plants of Slovakia. Acta Societatis Botanicorum Poloniae 81(4):245-255

Nedelcheva A., 2013, An ethnobotanical study of wild edible plants in Bulgaria. EurAsian Journal of BioSciences 7, 77-94

Pawera, L., et al, 2017, Traditional Plant Knowledge in the White Carpathians: Ethnobotany of Wild Food Plants and Crop Wild Relatives in the Czech Republic. Hum Ecol (2017) 45:655–671

Plants for a Future database, The Field, Penpol, Lostwithiel, Cornwall, PL22 0NG, UK. http://www.scs.leeds.ac.uk/pfaf/

Rivera, D., et al, 2007, Gathered Food Plants in the Mountains of Castilla–La Mancha (Spain): Ethnobotany and Multivariate Analysis. Economic Botany, 61(3),

Sitpayeva, G. T., et al, 2020, Crop wild relatives of Kazakhstani Tien Shan: Flora, vegetation, resources. Plant Diversity 42 (2020) 19-32

Tanaka,

Tardio, J., et al, Ethnobotanical review of wild edible plants in Spain. Botanical J. Linnean Soc. 152 (2006), 27-71

Urgamal, M., Oyuntsetseg, B., Nyambayar, D. & Dulamsuren, Ch. 2014. Conspectus of the vascular plants of Mongolia. (Editors: Sanchir, Ch. & Jamsran, Ts.). Ulaanbaatar, Mongolia. "Admon" Press. 334pp. (p. 143-158).

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/8fef4e71-eed9-411a-9339-29073da9f24d