PLANT FACT SHEET

Baccaurea pubera (Miq.) Mull.Arg.

GENUS *Baccaurea* **FAMILY** Phyllanthaceae

COMMON NAMES Tampoi Kuning

EDIBLE PARTS AND USES

Edible parts: Fruit

DESCRIPTION

A tree. It grows 40 m tall. The leaves are alternate and simple. They have short hairs underneath. The flowers are 2 mm across. They are yellowish. The fruit are 18 mm long. They are a greenish brown. They hang on stems. The seeds have a pink covering or aril.

HABITAT

A tropical plant. It grows in forest up to 1,500 m above sea level.

NOTES

There are about 80 Baccaurea species.

REFERENCES

Chai, P. P. K. (Ed), et al, 2000, A checklist of Flora, Fauna, Food and Medicinal Plants. Lanjak Entimau Wildlife Sanctuary, Sarawak. Forestry Malaysia & ITTO. p 167 (As Baccaurea latifolia)

Chin, H.F., & Yong, H.S., 1996, Malaysian Fruits in Colour. Tropical press, Kuala Lumpur p 82

Kulip, J., 2003, An ethnobotanical survey of medicinal and other useful plants of Muruts in Sabah, Malaysia. Telopea 10(1) p 89 (As Baccaurea puberula)

Slik, F., www.asianplant.net

Suwardi, A.B., et al, 2023, The diversity and regional conservation status of wild edible fruit species in Sumatra, Indonesia. Biodiversitas Vol. 24 No. 6. pp 3245-3257

Uji, T., 2007, Species diversity of indigenous fruits in Indonesia and its potential. Biodiversitas, 8 (2): 157-167 (As Baccaurea puberula)

World Checklist of Useful Plant Species 2020. Royal Botanic Gardens, Kew

Zawiah, N. & Othaman, H., 2012, 99 Spesies Buah di FRIM. Institut Penyelidikan Perhutanan Malaysia. p 56

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/91ad9b8a-19fa-492d-ad66-3915e311c299