PLANT FACT SHEET

Commelina latifolia Hochst. ex A Rich.

GENUS *Commelina* **FAMILY** Commelinaceae

EDIBLE PARTS AND USES

Edible parts: Leaves, Tubers, Roots, Vegetable

The leaves are cooked and used as a potherb.
The roots are eaten raw.

DESCRIPTION

A herb.

HABITAT

A tropical plant.

NOTES

There are about 230 Commelina species.

REFERENCES

Alemayehu, G., et al, 2015, Plant diversity and ethnobotany in Berehet District, North Shewa Zone of Amhara Region (Ethiopia) with emphasis on wild edible plants. Journal of Medicinal Plants Studies 2015; 3(6): 93-105

Asfaw, Z., Conservation and use of traditional vegetables in Ethiopia. FAO

Asfaw, Z. and Tadesse, M., 2001, Prospects for Sustainable Use and Development of Wild Food Plants in Ethiopia. Economic Botany, Vol. 55, No. 1, pp. 47-62

FAO, 1988, Traditional Food Plants, FAO Food and Nutrition Paper 42. FAO Rome p 214

Gobezie, S., & Mersha W., 2023, Ethnobotanical survey of some wild edible plants among the Mursi, Bodi and Bacha communities in lower Omo valley of south Omo zone, southern Ethiopia. Research Square.

Grubben, G. J. H. and Denton, O. A. (eds), 2004, Plant Resources of Tropical Africa 2. Vegetables. PROTA, Wageningen, Netherlands. p 213

Hedrick, U.P., 1919, (Ed.), Sturtevant's edible plants of the world. p 213

Jardin, C., 1970, List of Foods Used In Africa, FAO Nutrition Information Document Series No 2.p 69

Kidane, B., et al, 2014, Wild and semi-wild leafy vegetables used by the Maale and Ari ethnic communities in southern Ethiopia. Genetic Resour Crop Evol. Springer. p 8

Martin, F.W. & Ruberte, R.M., 1979, Edible Leaves of the Tropics. Antillian College Press, Mayaguez, Puerto Rico. p 183

Ruffo, C. K., Birnie, A. & Tengnas, B., 2002, Edible Wild Plants of Tanzania. RELMA p 221

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/9b28f605-d4d5-4b38-8a1a-5849581ffd7a