PLANT FACT SHEET

Aphanothece sacrum (Suringar) Okada

GENUS *Aphanothece*

COMMON NAMES Suizenji nori

EDIBLE PARTS AND USES

Edible parts: Algae, Seaweed

DESCRIPTION

A seaweed.

HABITAT

It grows in freshwater.

NOTES

Also put in the family Cyanobacteriaceae.

REFERENCES

H. W. Johnston, 1970, The Biological and Economic Importance of Algae, Part 3. Edible Algae of Fresh and Brackish Waters. Tuatara: Volume 18, Issue 1, July 1970 (As Phylloderma sacrum)

Kiple, K.F. & Ornelas, K.C., (eds), 2000, The Cambridge World History of Food. CUP p 233 (Also as Phylloderma sacrum)

Standard Tables of Food Composition in Japan - 2010

Watanabe, A., 1970, Studies on the application of Cyanophyta in Japan. Schweizerische Zeitschrift fur Hydrologie 32:566-9 (Also as Phylloderma sacrum)

Zaneveld, J.S., 1950, The economic marine algae of Malaysia and their applications. Proceedings of the Indo-Pacific Fisheries Council, 107-14

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/9bd17291-f7bb-40a7-8b79-3244ca4bee47