PLANT FACT SHEET

Bunias erucago L.

GENUS *Bunias* **FAMILY** Brassicaceae

COMMON NAMES Corn rocket, Crested warty cabbage

EDIBLE PARTS AND USES

Edible parts: Leaves, Roots

The leaves are used in vegetable soups.
The young leaves are also eaten as a salad.

DESCRIPTION

A cabbage family herb. It is an annual plant. It is rough and hairy. The leaves have lobes along the side. The edges are wavy. The flowers are yellow. The petals are notched. The fruit is about 1 cm long and has toothed wings on the angles. It is square in cross section.

HABITAT

It is a temperate plant. It usually grows on untilled and poor soils.

NOTES

There are only 2 Bunias species.

REFERENCES

Alrhmoun,M., et al, 2025, Diachronic changes in local food heritage: the ethnobiology of wild foods in central Tuscany. Journal of Ethnobiology and Ethnomedicine (2025) 21:48

Bianchini, F., Corbetta, F., and Pistoia, M., 1975, Fruits of the Earth. Cassell. p 72

Bircher, A. G. & Bircher, W. H., 2000, Encyclopedia of Fruit Trees and Edible Flowering Plants in Egypt and the Subtropics. AUC Press. p 69

Biscotti, N. & Pieroni, A., 2015, The hidden Mediterranean diet: wild vegetables traditionally gathered and consumed in the Gargano area, Apulia, SE Italy. Acta Societatis Botanicorum Poloniae 84 (3): 327-338

Biscotti, N. et al, 2018, The traditional food use of wild vegetables in Apulia (Italy) in the light of Italian ethnobotanical literature. Italian Botanist 5:1-24

Blamey, M and Grey-Wilson, C., 2005, Wild flowers of the Mediterranean. A & C Black London. p 62

Di Tizio, A., et al, 2012, Traditional food and herbal uses of wild plants in the ancient South-Slavic diaspora of Mundimitar/ Montemitro (Southern Italy). Journal of Ethnobiology and Ethnomedicine 8:21

Dolina, K. & Luczaj, L., 2014, Wild food plants used on the Dubrovnik coast (south-eastern Croatia) Acta Soc Bot Pol 83(3):175–181

Ertug, F, Yenen Bitkiler. Resimli Türkiye Florası -I- Flora of Turkey - Ethnobotany supplement

Facciola, S., 1998, Cornucopia 2: a Source Book of Edible Plants. Kampong Publications, p 57

Geraci, A., et al, 2018, The wild taxa utilized as vegetables in Sicily (Italy): a traditional component of the Mediterranean diet. Journal of Ethnobiology and Ethnomedicine (2018) 14:14

Hedrick, U.P., 1919, (Ed.), Sturtevant's edible plants of the world. p 139

Lentini, F. and Venza, F., 2007, Wild food plants of popular use in Sicily. J Ethnobiol Ethnomedicine. 3: 15

Licata, M., et al, 2016, A survey of wild plant species for food use in Sicily (Italy) – results of a 3-year study in four Regional Parks. Journal of Ethnobiology and Ethnomedicine 12:12

Luczaj et al, 2013, Wild vegetable mixes sold in the markets of Dalmatia (southern Croatia). Journal of Ethnobiology and Ethnomedicine. 8:2

Luczaj, L., & Dolina, K., 2015, A hundred years of change in wild vegetable use in southern Herzegovina. Journal of Ethnopharmacology 166: 297–304

Luczaj, L. et al, 2014, Wild Food Plants of Dalmatia (Croatia). in A. Pieroni, C. L. Quave (eds.), Ethnobotany and Biocultural Diversities in the Balkans, p 138

Pasta, S., et al, 2020, An Updated Checklist of the Sicilian Native Edible Plants: Preserving the Traditional Ecological Knowledge of Century-Old Agro-Pastoral Landscapes. Frontiers in Plant Science. Volume 11|Article 388

Pieroni, A., 1999, Gathered wild food plants in the Upper Valley of the Serchio River (Garfagnana), Central Italy. Economic Botany 53(3) pp 327-341

Plants for a Future database, The Field, Penpol, Lostwithiel, Cornwall, PL22 0NG, UK. http://www.scs.leeds.ac.uk/pfaf/

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/a3f3514b-ad3e-4248-b7eb-35428e82e7e0