PLANT FACT SHEET

Ranunculus ficaria L.

GENUS *Ranunculus* **FAMILY** Ranunculaceae

COMMON NAMES Lesser celadine

EDIBLE PARTS AND USES

Edible parts: Leaves, Root

The young leaves are eaten raw and also used as a potherb.
The roots must be cooked.

DESCRIPTION

A herb. It grows 20 cm tall.

HABITAT

It is a temperate plant.

PICTURES



Credit: Food Plants International (Bruce French)

REFERENCES

Benitez, G., et al, 2023, Wild Edible Plants of Andalusia: Traditional Uses and Potential of Eating Wild in a Highly Diverse Region. Plants 2023, 12, 1218 p 24

Ertug, F, Yenen Bitkiler. Resimli Türkiye Florası -I- Flora of Turkey - Ethnobotany supplement

Källman, S., 1980, FAO Report D 54012-H2, Sweden. "A literature study that is important for the knowledge and ideas about the selection and nutritional values of wild Swedish plants that can be used as food in emergency situations"

Mahklouf, M. H., 2019, Ethnobotanical Study of Edible Wild Plants in Libya. European Journal of Ecology. 5(2): 30-40

Pieroni, A., et al, 2022, Chorta (Wild Greens) in Central Crete: The Bio-Cultural Heritage of a Hidden and Resilient Ingredient of the Mediterranean Diet. Biology 2022, 11, 673.

Stavridakis K., 2006, Wild edible plants of Crete, Rethymno.

Turner, N. J. et al, 2011, Edible and Tended Wild Plants, Traditional Ecological Knowledge and Agroecology. Critical Reviews in Plant Sciences, 30:198-225

Vari, A., et al, 2020, Berries, greens, and medicinal herbs—mapping and assessing wild plants as an ecosystem service in Transylvania (Romania). Journal of Ethnobiology and Ethnomedicine (2020) 16:13

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/aae1376b-5a36-403e-b0f8-e516062d2e85