PLANT FACT SHEET

Chenopodium berlandieri var. bushianum (Aellen)

Cronquist

GENUS *Chenopodium* **FAMILY** Amaranthaceae

COMMON NAMES Bush's Goosefoot

EDIBLE PARTS AND USES

Edible parts: Leaves, Seeds

DESCRIPTION

A herb.

HABITAT

It is a temperate plant.

NOTES

There are about 100-150-250 Chenopodium species. They are mostly in temperate regions.
Also put in the family Chenopodiaceae.

REFERENCES

Hermandez Bermejo, J.E., and Leon, J. (Eds.), 1994, Neglected Crops. 1492 from a different perspective. FAO Plant Production and Protection Series No 26. FAO, Rome. p 12 (As Chenopodium bushianum)

Kiple, K.F. & Ornelas, K.C., (eds), 2000, The Cambridge World History of Food. CUP p 1750 (As Chenopodium bushianum)

Plants for a Future database, The Field, Penpol, Lostwithiel, Cornwall, PL22 0NG, UK. http://www.scs.leeds.ac.uk/pfaf/ (As Chenopodium bushianum)

Repert. Spec. Nov. Regni Veg. 16:63. 1929 (As Chenopodium bushianum)

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/b0a45903-1502-46a7-b2b8-e0e67ed3f711