PLANT FACT SHEET

Raphionacme brownii Scott Elliott

GENUS *Raphionacme* **FAMILY** Apocynaceae

COMMON NAMES Raphionacme

EDIBLE PARTS AND USES

Edible parts: Tubers, Root, Fruit

The tuber is eaten raw or cooked

DESCRIPTION

A small herb. It keeps growing from year to year. It grows 30 cm high. It has a fleshy turnip-like tuber.

HABITAT

A tropical plant. It grows in savannah scrubland.

NOTES

A small genus.

REFERENCES

Anderson, M., 2002, The World Encyclopedia of Cacti and Succulents. Hermes House, New York. p 199 (Genus)

Burkill, H. M., 1985, The useful plants of west tropical Africa, Vol. 4. Kew.

Dalziel, J. M., 1937, The Useful plants of west tropical Africa. Crown Agents for the Colonies London.

Food Composition Tables for use in Africa FAO http://www.fao.org/infoods/directory No. 771

Grivetti, L. E., 1980, Agricultural development: present and potential role of edible wild plants. Part 2: Sub-Saharan Africa, Report to the Department of State Agency for International Development. p 24

Hahn, K., et al, 2018, The use of wild plants for food: a national scale analysis for Burkina Faso (West Africa). FVSS FoodPlants Supplement

Jardin, C., 1970, List of Foods Used In Africa, FAO Nutrition Information Document Series No 2.p 97

Lim, T. K., 2015, Edible Medicinal and Non Medicinal Plants. Volume 9, Modified Stems, Roots, Bulbs. Springer p 73

MORTIMORE,

Peters, C. R., O'Brien, E. M., and Drummond, R.B., 1992, Edible Wild plants of Sub-saharan Africa. Kew. p 66

World Checklist of Useful Plant Species 2020. Royal Botanic Gardens, Kew

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/b87a30fb-e1fe-4fc6-b35c-bfbf6a2268c8