PLANT FACT SHEET

Merremia tridentata (L.) Hallier f.

GENUS *Merremia* **FAMILY** Convolvulaceae

EDIBLE PARTS AND USES

Edible parts: Leaves, Leaves - tea, Flowers, Fruit, Seeds

The leaves are cooked as a vegetable.

DESCRIPTION

A herb. It can be twining. It has stout root. The stems are wiry and 4 m long. The leaves are narrowly oblong. They are 3-8 cm long by 4-15 mm wide.

HABITAT

It is a tropical plant.

REFERENCES

Catarino, L. et al, 2019, Edible Leafy Vegetables from West Africa (Guinea-Bissau): Consumption, Trade and Food Potential. Foods 2019, 8, 493

Kuhnlein, H. V., et al, 2009, Indigenous Peoples' food systems. FAO Rome p 192 (As Merremia tridentata var. hastata)

Li, D. et al, 2017, Ethnobotanical survey of herbal tea plants from the traditional markets in Chaoshan, China. Journal of Ethnopharmacology. 205 (2017) 195-206 (As Xenostegia tridentata)

Maazou, R., et al, 2023, Diversity and socio-cultural importance of wild food herbs and cyanobacteria in the Lake Chad Basin (Niger). Ethnobotany Research and Applications 25:60

Ruiters-Welcome, A. K., 2019, Food plants of southern Africa. Ph.D. thesis. Univ. of Johannesburg p 47

Welcome, A. K. & Van Wyk, B.-E., 2019, An inventory and analysis of the food plants of southern Africa. South African Journal of Botany 122 (2019) 136–179 (As Xenostegia tridentata)

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/bce30ca3-ccf2-422c-b088-581510aea435