PLANT FACT SHEET

Euadenia trifoliolata (Schum. et Thonn.) Oliv.

GENUS *Euadenia* **FAMILY** Capparaceae

EDIBLE PARTS AND USES

Edible parts: Leaves, Vegetable

The leaves are cooked as a potherb. They are put in soups and used in cereal dishes.

DESCRIPTION

A shrub. It can grow 4-6 m high. The trunk is 7 cm across. The bark is smooth. The leaves are dark green above and more pale green underneath. They are oval and taper to the top.

HABITAT

A tropical plant. It grows as an under-shrub in dense forest in West Africa. It grows from the lowlands up to 1,000 m altitude.

REFERENCES

Abbiw, D.K., 1990, Useful Plants of Ghana. West African uses of wild and cultivated plants. Intermediate Technology Publications and the Royal Botanic Gardens, Kew. p 42

Burkill, H. M., 1985, The useful plants of west tropical Africa, Vol. 1. Kew.

Busson, 1965,

Dalziel, J. M., 1937, The Useful plants of west tropical Africa. Crown Agents for the Colonies London.

Food Composition Tables for use in Africa FAO http://www.fao.org/infoods/directory No. 630

Grubben, G. J. H. and Denton, O. A. (eds), 2004, Plant Resources of Tropical Africa 2. Vegetables. PROTA, Wageningen, Netherlands. p 561

Jardin, C., 1970, List of Foods Used In Africa, FAO Nutrition Information Document Series No 2.p 77

Martin, F.W. & Ruberte, R.M., 1979, Edible Leaves of the Tropics. Antillian College Press, Mayaguez, Puerto Rico. p 181

Peters, C. R., O'Brien, E. M., and Drummond, R.B., 1992, Edible Wild plants of Sub-saharan Africa. Kew. p 78

Raponda-Walker, A & Sillans, R., 1961, Les Plantes Utiles du Gabon. Editions Paul Lechevalier, Paris. p 118

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/bcebea75-275f-4b4a-a955-2ae20c52a8e9