



PLANT FACT SHEET

Cola acuminata (P. Beauv.) Schott et Endl.

GENUS *Cola* FAMILY Malvaceae

COMMON NAMES Cola nut

EDIBLE PARTS AND USES

Edible parts: Seeds, Nut, Herb, Flavouring, Fruit, Leaves

The seeds are chewed for a stimulating effect.

They are also used in foods.

They are used to flavour drinks. An extract prepared from the dried kernels are used to flavour drinks. ice cream, candy, baked goods and liqueurs.

DESCRIPTION

A medium sized tree. It grows 13-20 m tall. In cultivation it is usually 6-9 m high. It commonly has low branches. The bark is dark green or grey. The small branches are smooth. The leaves are near the tip of the branches. They are 7-22 cm long by 2-8 cm wide. The tip is usually twisted downwards. The leaves are leathery and dark green. The flowers are in irregular branched clusters. They are white or cream with red inside. The fruit has a rough, mottled skin. They are made up of 5 cells. The fruit can be 20 cm long and 6 cm wide. They occur singly. It has thin white flesh. The seeds are large, flat and bright red. There are up to 14 seeds. When the seed coat is removed the seeds split into four pieces.

HABITAT

It is a tropical plant. It suits the hot wet tropical lowlands. It will grow in sun or part shade. It is damaged by frost. It is best in fertile soil that are well-drained. It is native to West Africa. It suits hardiness zones 11-12. It cannot tolerate high pH. At ECHO.

PRODUCTION

Cultivation

Plants are usually grown from seeds. Seed only remain viable for about 2 weeks. Cuttings can be used. Plants can also be grown using layering. Plants can be budded. For seeds, the pods are put in a heap and kept damp for 16 days and then the seed coat removed and the seed planted 10 cm deep.

Harvesting and Seed Production

Trees will bear in 7-10 years from seed. They can continue bearing for 100 years. In Central African Republic flowers have been recorded in February, May and August and fruit in June.


NOTES

There are about 125 Cola species. The seeds are rich in caffeine.
Also put in the family Sterculiaceae.
In Botanical Gardens in Slovenia presumably in a hot house.


PICTURES



Credit: Food Plants International (Bruce French)



Credit: Food Plants International (Bruce French)



Credit: Food Plants International (Bruce French)



Credit: Food Plants International (Bruce French)

REFERENCES

- Ambasta, S.P. (Ed.), 2000, The Useful Plants of India. CSIR India. p 136
- Aniama, S. O., et al, 2016, Ethnobotanical documentaton of some plants among Igala people of Kogi State (Nigeria). The International Journal Of Engineering And Science (IJES). 5(4) pp 33-42
- Asogwa E. U., Anikwe J. C. and Mkwunye F.C., 2006, Kola production and utilization for economic development. African Scientist, vol. 7, no. 4, pp. 217-220.
- Barwick, M., 2004, Tropical and Subtropical Trees. A Worldwide Encyclopedic Guide. Thames and Hudson p 126
- Billong Fils, P. E., et al, 2020, Ethnobotanical survey of wild edible plants used by Baka people in southeastern Cameroon. Journal or Ethnobiology and Ethnomedicine. 16:64 p 7
- Bodkin, F., 1991, Encyclopedia Botanica. Cornstalk publishing, p 271
- Bremness, L., 1994, Herbs. Collins Eyewitness Handbooks. Harper Collins. p 50
- Brown, D., 2002, The Royal Horticultural Society encyclopedia of Herbs and their uses. DK Books. p 175
- Burkill, H. M., 1985, The useful plants of west tropical Africa, Vol. 4. Kew.
- Dalziel, J. M., 1937, The Useful plants of west tropical Africa. Crown Agents for the Colonies London.
- Danforth, R.M., & Boren, P.D., 1997, Congo Native fruits. Twenty-five of the best. Privately published. p 49
- Dibong, S. D., et al, 2011, Inventory and Biodiversity of species edible wild fruits sold in the markets of Douala, Cameroon. International Journal of Applied Biology and Pharmaceutical Technology. 2(3).
- Eijnatten van, C.L.M., 1979, Kola, in Simmonds, N.W., (ed), Crop Plant Evolution. Longmans. London. p 284
- Etherington, K., & Imwold, D., (Eds), 2001, Botanica's Trees & Shrubs. The illustrated A-Z of over 8500 trees and shrubs. Random House, Australia. p 220

- Facciola, S., 1998, *Cornucopia 2: a Source Book of Edible Plants*. Kampong Publications, p 238
- FAO Corporate Document Repository. The Major Significance of 'Minor' Forest Products. Appendix 3
- Feld, D., 2021, A Systematic Checklist of Food Plants, including Herbs and Spices, and with an Index. p 9
- Fongnzossie Fedoung, E., et al, 2020, Wild edible plants and mushrooms of the Bamenda Highlands in Cameroon: ethnobotanical assessment and potentials for enhancing food security. *Journal of Ethnobiology and Ethnomedicine* 16:12
- Fowler, D. G., 2007, *Zambian Plants: Their Vernacular Names and Uses*. Kew. p 82
- Gallois, S., et al, 2020, Methodological priorities in assessing wild edible plant knowledge and use - a case study among the Baka in Cameroon.
- Gohre, A., et al, 2016, Plants from disturbed savannah vegetation and their usage by Bakongo tribes in Uíge, Northern Angola. *Journal of Ethnobiology and Ethnomedicine* (2016) 12:42
- Harris, D. J., 2002, The vascular plants of the Dzanga-Sangha Reserve, Central African Republic. National Botanic Garden of Belgium, 2002. - 274 pages p 202
- Hedrick, U.P., 1919, (Ed.), *Sturtevant's edible plants of the world*. p 210
- Heywood, V.H., Brummitt, R.K., Culham, A., and Seberg, O., 2007, *Flowering Plant Families of the World*. Royal Botanical Gardens, Kew. p 311
- Hoare A. L., 2007, *The Use of Non-timber Forest Products in the Congo Basin. Constraints and Opportunities*. Rainforest Foundation. p 11
- Jardin, C., 1970, *List of Foods Used In Africa*, FAO Nutrition Information Document Series No 2.p 33
- Keay, R.W.J., 1989, *Trees of Nigeria*. Clarendon Press, Oxford. p 136
- Kermath, B. M., et al, 2018, *Food Plants in the Americas: A survey of the domesticated, cultivated and wild plants used for Human food in North, Central and South America and the Caribbean*. p 307
- Kiple, K.F. & Ornelas, K.C., (eds), 2000, *The Cambridge World History of Food*. CUP p 1797
- Kuhnlein, H. V., et al, 2009, *Indigenous Peoples' food systems*. FAO Rome p 260
- Kybal, J., 1980, *Herbs and Spices, A Hamlyn Colour Guide*, Hamlyn Sydney p 80
- Latham, P., 2004, *Useful Plants of Bas-Congo province*. Salvation Army & DFID p 82
- Liengola, I. B., 2001, A contribution to the study of native edible plants by the Turumbu and Lokele of the Tshopo District, Province Orientale, D. R. Congo. *Syst. Geogr. Pl.* 71:687-698
- Lorenzi, H., Bacher, L., Lacerda, M. & Sartori, S., 2006, *Brazilian Fruits & Cultivated Exotics*. Sao Paulo, Instituto Plantarum de Estudos da Flora Ltda. p 431
- Martin, F. W., et al, 1987, *Perennial Edible Fruits of the Tropics*. USDA Handbook 642 p 63
- Mawunu, M., et al, 2020, First Survey of the Edible Non-Wood Forest Products Sold in Uige Province, Northern Angola. *European Journal of Agriculture and Food Sciences*. Vol. 2, No. 6
- Melet. bot. 33. 1832
- Menninger, E.A., 1977, *Edible Nuts of the World*. Horticultural Books. Florida p 40
- Meregini, O. A., 2005, Some endangered plants producing edible fruits and seeds in Southeastern Nigeria. *Fruits*, Vol. 60 pp 211-220
- Mosango M., Szafranski F., 1985, *Plantes sauvages à fruits comestibles dans les environs de Kisangani (Zaire)*. In: *Journal d'agriculture traditionnelle et de botanique appliquée*, 32e année, pp. 177-190
- Nkeoua, G. & Boundzanga, G. C., 1999, *Donnees sur les produits forestieres non ligneux en Republique du Congo*. FAO. p 22

Full reference list (20 more) at <https://www.echocommunity.org/en/resources/bfd1b8ac-c9c9-4af7-96ea-f71285f883d3>

PROVIDED BY Food Plants International

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET <https://www.echocommunity.org/en/resources/bfd1b8ac-c9c9-4af7-96ea-f71285f883d3>