PLANT FACT SHEET

Achillea tenuifolia Lam.

GENUS *Achillea* **FAMILY** Asteraceae

EDIBLE PARTS AND USES

Edible parts: Leaves, Stems, Flowers

The leaves are eaten raw as salads or cooked with yoghurt.

DESCRIPTION

A herb.

HABITAT

It is a temperate plant.

REFERENCES

Al-Ismail, A. et al, 2007, Antioxidant Activities of some Edible Wild Mediterranean Plants. Ital. J. Food Sci. n. 3, vol. 19 - 2007 287 (As Achillea santolina)

Cakir, E. A., 2017, Traditional knowledge of wild edible plants of Iğdır Province (East Anatolia, Turkey). Acta Soc Bot Pol. 2017;86(4):3568.

Ertug, F, Yenen Bitkiler. Resimli Türkiye Florası -I- Flora of Turkey - Ethnobotany supplement

Nanagulyan, S., et al, 2020, Wild plants and fungi sold in the markets of Yerevan (Armenia). Journal of Ethnobiology and Ethnomedicine 16:26

Senkardes, I., et al, 2019, An Ethnobotanical Analysis on Wild Edible Plants of the Turkish Asteraceae Taxa. Agric. conspec. sci. Vol. 84 No. 1 (17-28)

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/d826a27e-9d76-41f2-a850-de8e5d772b15