PLANT FACT SHEET

Hypnea musciformis (Wulfen) Lamouroux

GENUS *Hypnea* **FAMILY** Cystocloniaceae

COMMON NAMES Su-wei-tung

EDIBLE PARTS AND USES

Edible parts: Algae, Frond, Seaweed

It is used in stews and jelly. It is cooked with meat and vegetables for the preparation of a jelly.

DESCRIPTION

A red seaweed.

HABITAT

A tropical plant.

REFERENCES

Ambasta S.P. (Ed.), 2000, The Useful Plants of India. CSIR India. p 281

Cherry, P., et al, 2019, Risks and benefits of consuming edible seaweeds. Nutrition ReviewsVR Vol. 77(5):307–329

http://www.seavegetables.com

Kiple, K.F. & Ornelas, K.C., (eds), 2000, The Cambridge World History of Food. CUP p 237

Millar, A. J., et al, 1999, Annotated and Illustrated Survey of the Marine Macroalgae from Motupore Island and Vicinity (Port Moresby area, Papua New Guinea). 111. Rhodophyta. Australian Systematic Botany 12, 549-591

Tseng, C.K., 1935, Economic seaweeds of Kwangtung Province, S.China. Lingnan Science Journal 14:93-104Tseng, 1935,

Zemke-White, W. L. & Ohno, M., 1999, World seaweed utilisation: An end-of-century summary. Journal of Applied Phycology 11: 369-376

PROVIDED BY **Food Plants International**

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET https://www.echocommunity.org/en/resources/f426f15e-4d67-40a0-ad56-ddb5717bdd06