



PLANT FACT SHEET

Eugenia pyriformis Cambess.

GENUS *Eugenia* FAMILY Myrtaceae

COMMON NAMES Uvalha

EDIBLE PARTS AND USES

Edible parts: Fruit

The fruit can be eaten raw or used for juice. The fruit pulp is used for flavouring and drinks. They are edible but sour.

DESCRIPTION

A tree. It grows 6-13 m tall. The crown is small and open. The trunk is 30-50 cm across. The bark peels off. The leaves are simple and red when young. The leaves are narrow and 4-7 cm long. The flowers are white and occur singly in the axils of the leaves. The fruit is the size of a pear. The fruit are medium size and round with soft sweet smelling pulp. They are 2.5 cm across. It is large and orange yellow. There are 1-3 large seeds.

HABITAT

A tropical and subtropical plant. In Brazil it grows in semi-deciduous forest on the plateau. It grows between 300-1,500 m above sea level. It can tolerate light frost and drought. It grows in areas with low to medium rainfall. In Argentina it grows from sea level to 1,300 m above sea level.

PRODUCTION

Cultivation

Plants are grown from seed. The ripe fruit are harvested and the seeds collected with running water. They are dried in the shade. Seeds can only be stored for about 60 days. Plants are grown from fresh seed. They germinate in 10-40 days. Seedlings can be transplanted into the field after 10-11 months.

Harvesting and Seed Production

Plants grow slowly. They may reach 2 m high after 2 years growth. Trees can take 10 years to start to produce fruit. Fruit matures in 60 days.

NOTES

There are about 550 *Eugenia* species. They are mostly in tropical and subtropical South America.

PICTURES



Credit: Food Plants International (Bruce French)

REFERENCES

- Andrare, G. M. M., et al, 2023, Plantas Alimenticias Nao Convencionais (PANC) Nos Levantamentos Etnobotanicos do Brazil. Novos Cadernos NAEA v. 25 No. 2 p 216
- Barbieri, R. L., et al, 2014, Agricultural Biodiversity in Southern Brazil: Integrating Efforts for Conservation and Use of Neglected and Underutilized Species. Sustainability 6:741-757
- Bortolotto, I. M., et al, 2018, Lista preliminar das plantas alimenticias nativas de Mato Grosso do Sul, Brasil. Iheringia, Serie Botanica, Porto Alegre, 73 (supl.):101-116
- Brack, P., et al, 2020, Frutas nativas do Rio Grande do Sul, Brasil: riqueza e potencial alimenticio. Native fruits of Rio Grande do Sul, Brazil: richness and potential as food. Rodriguésia 71: e03102018.
- Brazil: Biodiversity for Food and Nutrition.
<http://www.b4fn.org/countries/brazil/>
- Coradin, L. et al (Eds), 2011, Espécies Nativas da Flora Brasileira de Valor Economico Atual ou Potencial. Brasília MMA. p 167
- Coronel, R.E., 1982, Fruit Collections in the Philippines. IBPGR Newsletter p 6 (As uvalha)
- Cruz, M. P., et al, 2014, Local perceptions and consumption of native wild edible plants from seasonal dry forests in Brazil. Journal of Ethnobiology and Ethnomedicine 10:45
- Facciola, S., 1998, Cornucopia 2: a Source Book of Edible Plants. Kampong Publications, p 158 (As uvalha)
- Fouqué, A., 1972, Espèces fruitières d'Amérique tropicale. Institut français de recherches fruitières outre-mer (As Eugenia vauthiereana)
- Garner, R.J., and Chaudhri, S.A., (Ed.) 1976, The Propagation of Tropical fruit Trees. FAO/CAB. p 358 (As uvalha)
- Gomes, L.C.A., et al, 2023, Patterns of use of wild food plants by Brazilian local communities: systematic review and meta-analysis. Journal of Ethnobiology and Ethnomedicine. 19:47 p 9
- Grandtner, M. M. & Chevrette, J., 2013, Dictionary of Trees, Volume 2: South America: Nomenclature, Taxonomy and Ecology. Academic Press p 242
- Hedrick, U.P., 1919, (Ed.), Sturtevant's edible plants of the world. p 300
- Hernandez Bermejo, J.E., and Leon, J. (Eds.), 1994, Neglected Crops. 1492 from a different perspective. FAO Plant Production and Protection Series No 26. FAO, Rome. p16
- Hunter, D., et al, 2019, The potential of neglected and underutilized species for improving diets and nutrition. Planta (2019) 250:709-729
- Kermath, B. M., et al, 2014, Food Plants in the Americas: A survey of the domesticated, cultivated and wild plants used for Human food in North, Central and South America and the Caribbean. On line draft. p 358
- Kinupp, V. F., 2007, Plantas alimenticias nao-convencionais da regio metropolitana de Porto Alegre, RS, Brazil p 86
- Kujawska, M. & Luczaj, L., 2015, Wild Edible Plants Used by the Polish Community in Misiones, Argentina. Human Ecology 43:855-869
- Lorenzi, H., 2002, Brazilian Trees. A Guide to the Identification and Cultivation of Brazilian Native Trees. Vol. 01 Nova Odessa, SP, Instituto Plantarum p 277
- Lorenzi, H., Bacher, L., Lacerda, M. & Sartori, S., 2006, Brazilian Fruits & Cultivated Exotics. Sao Paulo, Instituto Plantarum de Estudos da Flora Ltda. p 210
- Lucena de, R. F. P, et al, 2008, Local Uses of Native, Plants in an Area of Caatinga Vegetation (Pernambuco, NE Brazil) Ethnobotany Research and Applications. Vol. 6:3-13 (As uvalha)
- Lyle, S., 2006, Discovering fruit and nuts. Land Links. p 200 (As uvalha)
- Mabberley, D.J., 1990, The plant-book: a portable dictionary of the higher plants. Cambridge University Press. NY. (As Eugenia vauthiereana)
- Martin, F. W., et al, 1987, Perennial Edible Fruits of the Tropics. USDA Handbook 642 p 40 (As Eugenia uvalha)
- Miguel, E., et al, 1989, A checklist of the cultivated plants of Cuba. Kulturpflanze 37. 1989, 211-357 (As Eugenia uvalha)
- Nunes, E. N., et al, 2018, Local botanical knowledge of native food plants in the semiarid region of Brazil. Journal of Ethnobiology and Ethnomedicine (2018) 14:49 (As Eugenia uvalha)
- Popenoe, (As uvalha)

Rufina, M. S. M., et al, 2009, Free radical-scavenging behaviour of some north-east Brazilian fruits in a DPPH system. Food Chemistry 114:693-695

Rufino, M. M., et al, 2010, Bioactive compounds and antioxidant capacities of 18 non-traditional tropical fruit from Brazil. Food Chemistry 121: 996-1002

A. F. C. P. de Saint-Hilaire, Fl. Bras. merid. 2:241. 1830

A. F. C. P. de Saint-Hilaire, Fl. Bras. merid. 2:367. 1833 (As uvalha)

Sukarya, D. G., (Ed.) 2013, 3,500 Plant Species of the Botanic Gardens of Indonesia. LIPI p 275

TodaFruta.com.br (As Eugenia uvalha)

USDA, ARS, National Genetic Resources Program. Germplasm Resources Information Network - (GRIN). [Online Database] National Germplasm Resources Laboratory, Beltsville, Maryland. Available: www.ars-grin.gov/cgi-bin/npgs/html/econ.pl (10 April 2000) (As uvalha)

USDA, ARS, National Genetic Resources Program. Germplasm Resources Information Network - (GRIN). [Online Database] National Germplasm Resources Laboratory, Beltsville, Maryland. Available: www.ars-grin.gov/cgi-bin/npgs/html/econ.pl (10 April 2000)

Full reference list (4 more) at <https://www.echocommunity.org/en/resources/f80bd696-c081-4a06-9047-349bd6d729e9>

PROVIDED BY Food Plants International

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET <https://www.echocommunity.org/en/resources/f80bd696-c081-4a06-9047-349bd6d729e9>