



PLANT FACT SHEET

Uapaca heudelotii Baill.

GENUS *Uapaca* FAMILY Phyllanthaceae

EDIBLE PARTS AND USES

Edible parts: Fruit

The fruit are eaten raw.

DESCRIPTION

A tree. It grows to 20-30 m high. The trunk is 3 m around. It has stilt roots up to 5 m high. It can also have aerial roots. The bark is grey and rough. The crown is dense and with many branches. The leaves have tufts of short reddish hairs at their base. The leaves are 7-23 cm long by 2.5-7.5 cm wide. They are oval with a blunt point at the tip. They are narrowly wedge shaped at the base. They are dark green above and pale green underneath. The leaf stalks are slender and 2.5 cm long. The flowers have cream coloured bracts. The male heads are white or cream and on stalks 18 mm long. The fruit are elongated and 3 cm long by 2.5 cm wide. There are 3 elongated seeds.

HABITAT

A tropical plant. It grows in swamp forest near water. It also grow on the edges of savannah forest. In Nigeria it has been recorded at 300 m above sea level.

PRODUCTION

Harvesting and Seed Production

In Central African Republic plants have been recorded flowering in February and August and September.

REFERENCES

- Abbiw, D.K., 1990, Useful Plants of Ghana. West African uses of wild and cultivated plants. Intermediate Technology Publications and the Royal Botanic Gardens, Kew. p 48
- Awodoyin, R.O., Olubode, O.S., Ogbu, J.U., Balogun, R.B., Nwawuisi, J.U. and Orji, K.O., 2015, Indigenous Fruit Trees of Tropical Africa: Status, Opportunity for Development and Biodiversity Management. Agricultural Sciences, 6, 31-41
- Dalziel, 1937
- Diop, A. I., et al, 2021, Cultural importance of wild edible plants in three sympatric communities: Agni, Akyé and Gwa in the Department of Alépé (Southeast of Côte d'Ivoire). Ethnobotany Research and Applications 22:35. p 7
- Harris, D. J., 2002, The vascular plants of the Dzanga-Sangha Reserve, Central African Republic. National Botanic Garden of Belgium, 2002. - 274 pages p 92
- Jardin, C., 1970, List of Foods Used In Africa, FAO Nutrition Information Document Series No 2.p 166
- Peters, C. R., O'Brien, E. M., and Drummond, R.B., 1992, Edible Wild plants of Sub-saharan Africa. Kew. p 113
- Vivien, J., & Faure, J.J., 1996, Fruitiers Sauvages d'Afrique. Espèces du Cameroun. CTA p 157
- World Checklist of Useful Plant Species 2020. Royal Botanic Gardens, Kew

PROVIDED BY Food Plants International

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET <https://www.echocommunity.org/en/resources/f8352c50-6fcb-4ad2-9b53-ac266efa812c>