



PLANT FACT SHEET

Madhuca longifolia (L.) J. F. Macbr.

GENUS *Madhuca* FAMILY Sapotaceae

COMMON NAMES Mahua, Illipe, Indian butter tree

EDIBLE PARTS AND USES

Edible parts: Fruit, Flowers, Seeds - oil, Leaves, flower - nectar

The flowers are eaten dried, roasted or made into jelly, sugar and wine. They are a sweetener.

They are also used to make alcohol. Caution: Alcohol is a cause of cancer.

An edible oil is obtained from the seed. Seed oil is used for cooking. It also substitutes for butter.

The ripe fruit are eaten raw.

The fleshy corolla is eaten raw or roasted.

The leaves are also eaten.

DESCRIPTION

A tree which loses its leaves. It grows to about 8-20 m high. The bark is grey-brown with a hint of yellow. The leaves are crowded at the ends of branches. They are 19 cm long. The leaves have stalks. They are oval and taper to the tip. The leaves are wavy at the edges and are densely hairy at first. The flowers have stalks. They are cream and succulent. The fruit is oval and fleshy. It is green and about 5 cm long. There are 1 or 2 seeds.

HABITAT

A tropical and subtropical plant. It suits the hot tropical lowlands with low to medium rainfall. In Nepal it grows to about 200 m altitude. It can grow to 1,700 m above sea level in Indonesia. It grows in open places.

PRODUCTION

Cultivation

Plants are grown from seed. They can also be grown by cuttings.


Harvesting and Seed Production

Seeds and dried flowers can be stored for several months in a dry container.


PICTURES



Credit: Food Plants International (Bruce French)



Credit: Food Plants International (Bruce French)



Credit: Food Plants International (Bruce French)

REFERENCES

- Ajesh, T. P., et al, 2012, Ethnobotanical Documentation of Wild Edible Fruits used by Muthuvan Tribes of Idukki, Kerala-India. International Journal of Pharma and Bio Sciences 3(3): 479-487
- Ambasta S.P. (Ed.), 2000, The Useful Plants of India. CSIR India. p 347
- Arora, R. K., 2014, Diversity in Underutilized Plant Species - An Asia-Pacific Perspective. Bioversity International. p 105
- Ashton, M. S., et al 1997, A Field Guide to the Common Trees and Shrubs of Sri Lanka. WHT Publications Ltd. pdf p 362
- BARC, 2016, State of Biodiversity for Food and Agriculture in Bangladesh. Bangladesh Agricultural Research Council.
- Binu, S., 2010, Wild edible plants by the tribals in Pathanamthitta district, Kerala. Indian Journal of Traditional Knowledge. 9(2): 309-312
- Bouri, T. & Ganguly, S., 2016, Documentation of traditional knowledge on edible wild plants of forests in Burdwan district, West Bengal (India). Journal of Medicinal Plants Studies 2016; 4(5): 35-38
- Brouk, B., 1975, Plants Consumed by Man. Academic Press, London. p 230
- Burkill, I.H., 1966, A Dictionary of the Economic Products of the Malay Peninsula. Ministry of Agriculture and Cooperatives, Kuala Lumpur, Malaysia. Vol 2 (I-Z) p 1411
- Chandewar, N.G. & Chandewar, R., 2023, Exploration, Documentation and Ethno-botanical Studies of Wild Edible Plants of Mogarkasa Conservation Reserve (MCR) of Nagpur District, Maharashtra State. International Advanced Research Journal in Science, Engineering and Technology Vol. 10, Issue 5 May 2023
- Chandrashekara, U. M., 2009, Tree species yielding edible fruit in the coffee-based homegardens of Kerala, India: their diversity, uses and management. Food Sec. 1:361-370
- Contr. Gray Herb. 53:17. 1918
- Dangol, D. R. et al, 2017, Wild Edible Plants in Nepal. Proceedings of 2nd National Workshop on CUAOGR, 2017.
- Davis, S.D., Heywood, V.H., & Hamilton, A.C. (eds), 1994, Centres of plant Diversity. WWF. Vol 1 or 2. p 140 (As *Bassia longifolia*)
- Dobriyal, M. J. R. & Dobriyal, R., 2014, Non Wood Forest Produce an Option for Ethnic Food and Nutritional Security in India. Int. J. of Usuf. Mngt. 15(1):17-37
- Facciola, S., 1998, Cornucopia 2: a Source Book of Edible Plants. Kampong Publications, p 227
- Flora of Pakistan. www.eFloras.org
- GAMMIE, (As *Bassia longifolia*)
- Garner, R.J., and Chaudhri, S.A., (Ed.) 1976, The Propagation of Tropical fruit Trees. FAO/CAB. p 489

- Gautam, R. S., et al, 2020, Wild Edible Fruits of Nepal. Int. J. Appl. Sci. Biotechnol. Vol 8(3): 289-304
- Hedrick, U.P., 1919, (Ed.), Sturtevant's edible plants of the world. p 94
- Jadhav, R., et al, 2015, Forest Foods of Northern Western Ghats: Mode of Consumption, Nutrition and Availability. Asian Agri-History Vol. 19, No. 4: 293-317
- Kauthale, V. et al., 2017, Diversity of Wild Edible Plants in Dhadgaon Block of Nandurbar District in Maharashtra, India. Int. J. Curr. Res. Biosci. Plant Biol. 4(6), 62-73
- Kiple, K.F. & Ornelas, K.C., (eds), 2000, The Cambridge World History of Food. CUP p 1805
- Kiran, K. C., et al, 2019, Diversity and Seasonal Availability of Potential Wild Edible Plants from Vidarbha Region of Maharashtra State, India. Int.J.Curr.Microbiol.App.Sci (2019) 8(2): 1434-1446
- Krishen P., 2006, Trees of Delhi, A Field Guide. DK Books. p 53
- Kuhnlein, H. V., et al, 2009, Indigenous Peoples' food systems. FAO Rome p 195 (As *Bassia longifolia*)
- Kumar, R. & Saikia, P., 2020, Wild edible plants of Jharkhand and their utilitarian perspectives. Indian Journal of Traditional Knowledge Vol 19 (2), April 2020, pp 237-250
- Lokhande, K. S., 2020, Ethnobotanical Survey on Wild Edible Plants Used by Tribals & Rural People of Arjuni/Mor Taluka, Gondia District, Maharashtra State, India. Advances in Zoology and Botany 8(3): 209-217
- Macmillan, H.F. (Revised Barlow, H.S., et al), 1991, Tropical Planting and Gardening. Sixth edition. Malayan Nature Society. Kuala Lumpur. p 356
- Maheshwari, J.K., & Singh, J.P., 1984, Contribution to the Ethnobotany of Bhoja Tribe of Bijnor and Pauri Garhwal Districts, U.P. J. Econ. Tax. Bot. Vol.5. No.2 pp 253- (var. *latifolia*)
- Martin, F. W., et al, 1987, Perennial Edible Fruits of the Tropics. USDA Handbook 642 p 60
- Manandhar, N.P., 2002, Plants and People of Nepal. Timber Press. Portland, Oregon. p 304
- Martin, F.W. & Ruberte, R.M., 1979, Edible Leaves of the Tropics. Antillian College Press, Mayaguez, Puerto Rico. p 218 (As *Bassia longifolia*)
- Menninger, E.A., 1977, Edible Nuts of the World. Horticultural Books. Florida p 29
- Narayanan, M. K., R., et al, 2011, Ethnobotanically important trees and their uses by Kattunaikka tribe in Wayanad Wildlife Sanctuary, Kerala, India. Journal of Medicinal Plants research. 5(4): 704-612
- Pandey, R. K. & Saini, S. K., 2007, Edible plants of tropical forests among tribal communities of Madhya Pradesh. Indian Journal of Traditional Knowledge. 6(1), pp 185-190
- Pasha, M. K. & Uddin, S. B., 2019, Minor Edible Fruits of Bangladesh. Bangladesh J. Plant Taxon. 26(2): 299-313

Full reference list (27 more) at <https://www.echocommunity.org/en/resources/f8a980b0-dacc-4e00-9ef3-62d65af55733>

PROVIDED BY Food Plants International

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET <https://www.echocommunity.org/en/resources/f8a980b0-dacc-4e00-9ef3-62d65af55733>