



PLANT FACT SHEET

Pouteria cuspidata (A. de Candolle) Baehni

GENUS *Pouteria* FAMILY Sapotaceae

EDIBLE PARTS AND USES

Edible parts: Fruit

The pulp is sweet.

DESCRIPTION

A tree. It grows to 30 m high. The trunk is 60 cm across. There are slender buttresses 1.5 m high. The young shoots have soft hairs at first. The leaves are spaced. They are arranged in spirals. They are 6-15 cm long by 2.5-5 cm wide. The leaf stalk is 0.4-2 cm long. The flowers occur in tufts of 2-25 flowers in the axils of leaves or below the leaves. The flowers are on one sex with separate sexes on separate plants. The flowers are white to pale green. The fruit are 2.3-5.5 cm long. They are oval. They ripen to yellow or orange. There is one seed. The seed is 1.4-2.7 cm long. The pulp around the seed is edible.

HABITAT

A tropical plant. It usually grows along the edges of rivers. It can occur on flooded land. It grows from sea level to 550 m altitude.

NOTES

There are about 150-320 *Pouteria* species. They grow in the tropics.

REFERENCES

- Andel T. van, Non-timber forest products of the North-West District of Guyana. Part 2. A Field Guide. Tropenbos-Guyana Programme. p 305
- Duchelle, A. E., 2007, Observations on Natural Resource use and Conservation by the Shuar In Ecuador's Cordillera del Condor. Ethnobotany Research & Applications 5:005-023
- Grandtner, M. M. & Chevrette, J., 2013, Dictionary of Trees, Volume 2: South America: Nomenclature, Taxonomy and Ecology. Academic Press p 524
- Kermath, B. M., et al, 2014, Food Plants in the Americas: A survey of the domesticated, cultivated and wild plants used for Human food in North, Central and South America and the Caribbean. On line draft. p 687
- Lopez-Diago, D. & Garcia, N., 2021, Wild edible fruits of Colombia. Biota Colombiana 22 (2) p 51
- Useful plants of Guyana. Non-Timber Forest Products of the North-West District of Guyana Part 1. p 103
- Pennington, T.D., 1990, Sapotaceae in Flora Neotropica Monograph 52. New York Botanical Gardens. p 350
- Polak, A. M., 1992, Major Timber Trees of Guyana. A Field Guide. Tropenbos Series 2. Wageningen. p 153
- Roa, J. A. G. & Boada, D. S. G., 2018, Fundación para el Fortalecimiento de la Fruticultura y Plantas Alimenticias no Convencionales en Colombia.
- Torre, de la, L., et al, 2008, Enciclopedia de las Plantas Útiles del Ecuador. Herbario QCA. Pontificia Universidad Católica del Ecuador. p 572
- Van Roosmalen, M.G.M., & Garcia, O. M., 2000, Fruits of the Amazonian Forest. Part 2: Sapotaceae. Acta Amazonica 30(2): 187-290
- Vasquez, R. and Gentry, A. H., 1989, Use and Misuse of Forest-harvested Fruits in the Iquitos Area. Conservation Biology 3(4): 350f

PROVIDED BY Food Plants International

French, B.R. & Maynard, A.R. Food Plants International Database. Food Plants International

LICENCE CC BY-NC-SA 3.0

ONLINE FACT SHEET <https://www.echocommunity.org/en/resources/fa39962a-beba-46d3-b02d-6ed4afc8dab1>