

# Food Plant Solutions Brief Guide to Food Plant Gardens in the Mareeba region

## Our bodies need nutrients to be healthy and strong - nutritious food provides these:

- Starch:** Starch provides sustained energy for the body.
- Protein:** Protein helps the body repair cells and make new ones. Protein is also important for growth and development in children, teens, and pregnant women. Symptoms of protein deficiency include wasting and shrinkage of muscle tissue, and slow growth (in children).
- Vitamin A:** Vitamin A is very important for eyesight and fighting disease, particularly in infants, young children and pregnant women. People who are short of Vitamin A have trouble seeing at night.
- Vitamin C:** Vitamin C helps us avoid sickness, heal wounds, prevent infections and absorb iron from food. Severe vitamin C deficiency increases the risk of scurvy with symptoms such as inflammation of the gums, scaly skin, nosebleed and painful joints.
- Iron:** Iron is important because it helps red blood cells carry oxygen from the lungs to the rest of the body. Low levels of iron cause anaemia, which makes us feel fatigued. Iron is also important to maintain healthy cells, skin, hair and nails. Iron is more available when Vitamin C is also present.
- Zinc:** Zinc is particularly important for the health of young children and teenagers, and to help recovery from illness. It is needed for the body's immune system to work properly. It plays a role in cell division, cell growth, wound healing, and the breakdown of carbohydrates. Zinc is also needed for the senses of smell and taste. Zinc deficiency is characterized by stunted growth, loss of appetite, and impaired immune function.



# Starting a garden

## **PLAN:**

Identify a suitable location for the garden. Factors to consider include:

A site that receives 6-8 hours a day of sunlight and is not shaded by buildings or trees.

Easy access – a garden that is difficult to get to will not be maintained.

Protection from predators like native animals. If this is an issue, consider what can be used as a barrier and install it before planting.

Adequate and easily accessed water, whether it be a garden hose or a watering can.

## **TOOLS AND EQUIPMENT:**

What do you need to turn over the soil, to plant seeds and seedlings (e.g. spade, hand trowel, hoe) and how will soil be moved to cover seeds (e.g. rake). Can you borrow tools to reduce your start-up costs?

## **SIZE:**

Gardens can be all different sizes. Plan the size of your garden – what space is available and how much time do you have? Start small and increase the area as you become more confident. If space is limited, remember plants can be successfully grown in containers or pots.

## **BUILD:**

Clear the area, removing any existing plants and large weeds (turn the soil – dig, lift and turn it over onto itself). Once the soil has been loosened,

spread compost and work it into the soil. Avoid stepping on freshly turned soil, as this will compact the soil and undo your hard work. Once the digging is complete, smooth the surface with a rake and water thoroughly. Allow the bed to rest for several days before planting. Use a good quality potting medium if using pots and containers.

## **PLANT:**

Seeds and seedlings can be purchased from nurseries, garden centres and most hardware stores. A packet of seeds will grow a lot of seedlings but take longer to mature than transplanted seedlings. Plant seeds and seedlings in accordance with their specific directions and apply sufficient water to ensure the soil around the seeds and/or seedling roots is moist. Consider how tall and wide each plant will grow when planning the space between plants. Information on seed packets or seedling labels will indicate the appropriate distance between neighbouring plants. Add a thick layer of mulch around seedlings to help keep the soil moist. Make small signs to stick in the ground to show what you have planted.

## **MAINTAIN:**

Plants need regular watering, which ideally should occur in the morning, never in the heat of the day. Weeds will compete with the plants for nutrients and water, so it is important to keep them to a minimum. Hand weeding and adding mulch around seedlings will help keep weeds under control.

## **Starchy Staples** provide energy and dietary fibre

**Common name:** Sweet potato

**Scientific name:** *Ipomoea batatas*

**Cultivation:** Vine cuttings are used for planting. In grassland soils it is grown in mounds, ridges, or other raised beds. In bush fallow, it is mostly planted in undug loose soils. It needs a sunny position. Tubers will not form if the ground is waterlogged when tubers start to develop. Sweet potato are not tolerant to shading.

**Use:** Tubers are boiled or baked. They can be steamed, fried, mashed, or dried. They can be used in noodles. The chopped and dried tubers can be boiled with rice or ground into flour and mixed with wheat flour to make cakes or bread. The young leaves are edible.

**Nutrients:** energy, vit A

**Common name:** Yacon

**Scientific name:** *Smallanthus sonchifolius*

**Cultivation:** Plants are grown from offsets or slips. Sections about 10-20 cm long are taken from the base of the main stem. These often have roots attached. They are planted throughout the year if there is enough moisture. Earth is mounded up once around the plants.

**Use:** The roots are sweet and often eaten raw. Before this they are left for several days in the sun to allow the skin to shrivel. They can be sliced and added to salads. The grated pulp can be squeezed through a cloth to make a drink. The juice can be concentrated to blocks of sugar. They can also be cooked. The main stem is also eaten as a vegetable. The leaves are also eaten.

**Nutrients:** protein

**Common name:** Potato

**Scientific name:** *Solanum tuberosum*

**Cultivation:** Plants are grown from tubers. Large tubers can be cut to include a bud or "eye". A seed piece of 40-50 g is suitable. It is best to inter-crop as this stops bacterial wilt spreading. The plant is surrounded by dirt when 20-25 cm tall. Later the tubers need to be kept covered with dirt.

**Use:** The tubers are cooked and eaten. They are also fried, canned, and made into starch. The tubers are boiled, baked, roasted, mashed, and used in soups, stews, dumplings, pancakes and potato salads.

**Nutrients:** energy, iron, zinc

## Legumes provide protein for growth

**Common name:** Pigeon pea

**Scientific name:** *Cajanus cajan*

**Cultivation:** They are grown from seeds. It is best to sow seeds where the plants are to grow. Seeds normally germinate easily and well. Before sowing seed, it helps to soak them in cold water. A spacing of 1.5 m x 1.5 m is suitable. Plants can be cut back and allowed to re-grow. Plants can also be grown from cuttings.

**Use:** Young leaves, shoots and pods are eaten. The pods can be used in curries. The leaves and shoots are used as potherbs. Young seeds are cooked and eaten like peas. Ripe seeds are also cooked and eaten in soups and curries. Bean sprouts can be produced and eaten.

**Nutrients:** energy, protein, vit A, iron

**Common name:** Lablab bean

**Scientific name:** *Lablab purpureus*

**Cultivation:** Seeds are sown at 30 x 60 cm spacing near stakes or trees. Fertilising with nitrogen and potash until flowering is recommended. Young pods are ready 4-6 months after planting and seeds 6-8 months. Pods are often harvested over 2 or 3 years.

**Use:** The cooked young pods, ripe seeds and young leaves are edible. Flowers can be eaten raw, steamed, or added to soups and stews. Dried seeds can be cooked as a vegetable. The seeds can also be sprouted then crushed and cooked. The large starchy root is edible.

**Nutrients:** energy, protein, vit A, iron

**Common name:** Scarlet runner bean

**Scientific name:** *Phaseolus coccineus*

**Cultivation:** It is grown from seeds. Seed are planted 2.5 cm deep. Plants are spaced 20 cm apart. It needs sticks to climb up. It can be allowed to re-grow from the tubers or the tubers re-planted.

**Use:** The very young pods can be eaten. They are boiled, steamed, baked etc. The seeds are edible. They are dried then soaked. The flowers have a bean like flavour and are used in salads. Young leaves can be used as a potherb.

**Nutrients:** energy, protein, iron



## Leafy greens are a source of iron

**Common name:** Grain amaranth

**Scientific name:** *Amaranthus caudatus*

**Cultivation:** Plants can be grown from seed if the soil is warm. Seeds are small and grow easily. Cuttings of growing plants root easily.

**Use:** The leaves and young plant are eaten cooked. They are also used in stir fries and added to soups. The seeds are ground into flour and used to make bread. **Caution:** This plant can accumulate nitrates if grown with high nitrogen inorganic fertilisers and these are poisonous.

**Nutrients:** iron

**Common name:** Indian spinach

**Scientific name:** *Basella alba*

**Cultivation:** It can be sown from seeds or cuttings. A spacing of 1 m is suitable. Plants grown from seed are more productive than from cuttings. When cuttings are used, 20-25 cm long cuttings are suitable. Partial shade, rich fertile soil, and adequate moisture favour abundant leaf production. It is responsive to nitrogen fertiliser. Light shade gives bigger leaves. It requires a trellis to climb over. Frequently picking off the bud encourages branching.

**Use:** The leaves can be eaten raw in salads or cooked like a vegetable. They are also dried and stored. When fresh they can be stored for 4-5 days. The young shoots and leaves are eaten cooked. They are somewhat slimy. In soups and stews the mucilage can be used as thickening. The purple colour of fruit is harmless and is used to colour vegetables and agar-agar. Some lemon juice added to the dye enhances the colour.

**Nutrients:** energy, protein, vit A, vit C, iron, zinc

**Common name:** Silver beet

**Scientific name:** *Beta vulgaris subsp. cicla*

**Cultivation:** A spacing of 30cm between plants is suitable. Seed are sown 2.5 cm deep.

**Use:** The leaves and stalks are cooked and eaten. They can be eaten raw in salads. The leaf stalks can be cut from the leaf and cooked separately as an asparagus substitute.

**Nutrients:** vit A, vit C, iron, zinc



## **Fruit** are an important source of vitamins and dietary fibre

**Common name:** Pineapple

**Scientific name:** *Ananas comosus*

**Cultivation:** The suckers and slips can be used for planting as well as the top of the fruit. The time to maturity is the fastest for the suckers near the bottom of the plant and slowest when the top of the fruit is planted.

**Use:** The fruit is eaten fresh or used for juice. The young heart leaves can be eaten. They are cooked in curry dishes. Unripe fruit are also cooked and eaten. The flower spikes are peeled and sliced and steamed as a vegetable or added to stews.

**Nutrients:** vit A, vit C

**Common name:** Pawpaw

**Scientific name:** *Carica papaya*

**Cultivation:** Pawpaw seeds grow easily, and plants grow quickly. Fresh seeds can be used, or if dry seeds are used, they should be soaked before planting. Seeds should be planted when temperatures are 24-30°C. Seedlings can be transplanted when they are about 20 cm high. Plants should be about 3 m apart

**Use:** Fruit can be eaten ripe and raw. Green fruit can be cooked as a vegetable. The young leaves can be eaten cooked but are bitter. The flowers and the middle of the stem can be eaten.

**Nutrients:** vit A, zinc

**Common name:** Passionfruit

**Scientific name:** *Passiflora edulis*

**Cultivation:** Plants are grown by seeds or cuttings. Seeds germinate in 15-45 days. Seedlings can be grafted. Plants are put in a hole 30 cm deep and which has had organic matter added. A spacing of 3-4 m apart is suitable. Plants need a trellis to climb over.

**Use:** The fleshy portion of the fruit is eaten raw. Passionfruit are also used for flavouring in juices, and with other foods. It is used in sherberts, custards, cakes, sauces, pies, fruit soups, candies and ice cream. The seeds are edible. They also yield an edible oil. The tender shoots are boiled and eaten. They are added to meat curry.

**Nutrients:** vit A, zinc



## **Vegetables** are an important source of vitamins and dietary fibre

**Common name:** Okra

**Scientific name:** *Abelmoschus esculentus*

**Cultivation:** They are grown from seeds. Seeds are easy to collect. They need high temperatures for germination (over 20°C) and a sunny position. Often seeds are soaked for 24 hours before sowing to give quick germination. Seeds are sown 1.5-2.5 cm deep with 2-3 seeds per hole. Later these are thinned out to one plant. Seeds can be sown in nurseries and plants transplanted. Pinching out the tops of plants when 30 cm high encourages branching. A spacing of about 90 x 45 cm is suitable.

**Use:** Pods are eaten cooked. They are slimy, but less so if fried. They are also less sticky if a little lemon is added. Dried powdered seeds can be used in soups. It thickens the soup. They can also be pickled. Young leaves can be eaten cooked. They can be dried and stored. Flowers can also be eaten. Okra can be frozen and canned.

**Nutrients:** seeds: energy, protein; pods: vit A, vit C; leaf: vit A, vit C

**Common name:** Beetroot

**Scientific name:** *Beta vulgaris*

**Cultivation:** Plants are grown from seed. Normally the plants are planted in the final site because transplanting is difficult. Plants may get a soft heart due to boron deficiency. This is treated with borax.

**Use:** The red tubers are eaten after cooking. The root can be dried and powdered and mixed with barley or wheat flour. They can be pickled or fermented as beetroot juice. They are often boiled, sliced and served with vinegar. The leaves are edible. They are cooked in soups and stews.

**Nutrients:** root: energy; leaf: vit A, vit C, iron

**Common name:** Choko

**Scientific name:** *Sechium edule*

**Cultivation:** The entire fruit is planted as the seed cannot withstand drying out. It is planted flat and thinly covered with soil. Often chokos start to develop shoots and roots while they are still attached to the original plant. These eventually fall off and continue growing if they fall on soft moist dirt. A spacing 2 m apart along a fence is suitable. Trellis support is required. A well-drained fertile soil is needed.

**Use:** The fruit are edible when cooked. They can be pickled, baked, steamed, or made into fritters and puddings. The young leaf tips are eaten. The seeds can be eaten cooked. They are often deep fried. The fleshy root can be eaten cooked. They can be boiled, baked, or fried.

**Nutrients:** energy, protein, vit A, vit C

## Acknowledgements:

This guide is based on information from the Food Plants International (FPI) database, "Edible Plants of the World", developed by Tasmanian agricultural scientist Bruce French AO. "Food Plant Solutions Brief Guide to Food Plant Gardens in

"Mareeba, Qld" is a limited selection of food plants, which is intended as a **Draft Guide only**, to identify some local food plants that have high levels of nutrients that are important to human nutrition. This guide has been developed with the best intention to create interest and improve understanding of the important local food plants in Mareeba, Qld. It is not a comprehensive guide of food plants for Mareeba, Qld. Other important nutritious plants may be equally useful. Please contact Food Plant Solutions if you would like further information about these, or more detailed information about the ones selected.

Food Plant Solutions Rotary Action Group was initiated by the Rotary Club of Devonport North to assist in creating awareness of the edible plant database developed by Food Plants International, and its potential in addressing malnutrition and food security in any country of the world. In June 2007, Food Plant Solutions was established as a project of Rotary District 9830, the Rotary Club of Devonport North and Food Plants International. The primary objective of the project is to increase awareness and understanding of the vast food resource that exists in the form of local plants, which are well adapted to the prevailing conditions in which they are to be grown, and how this resource may be used to address hunger, malnutrition and food security. For more information, visit the website [www.foodplantsolutions.org](http://www.foodplantsolutions.org) or email [info@foodplantsolutions.org](mailto:info@foodplantsolutions.org).

**Disclaimer:** This Guide has been produced using information from the "Edible Plants of the World" database compiled by Bruce French of Food Plants International. Although great care has been taken by Food Plants International and Food Plant Solutions, neither organisation, or the people involved in the compilation of the database or this Field Guide:

- makes any expressed or implied representation as to the accuracy of the information contained in the database or the Brief Garden Guide, and cannot be held legally responsible or accept liability for any errors or omissions
- can be held responsible for claims arising from the mistaken identity of plants or their inappropriate use
- assume responsibility for sickness, death or other harmful effects resulting from eating or using any plant described in the database or this Brief Garden Guide.

Always be sure you have the correct plant, and undertake proper preparation methods.

Compost - if it has lived once, it can  
live again.

