



### Common names

**Boysenberry, Loganberry,**

Rosaceae

### Scientific name

***Rubus x loganobaccus***

**Edible portion** Fruit,



### Description

A vigorous trailing bramble. This is a cross between a raspberry and probably a dewberry. The vine loses its leaves during the year. Plants are self fertile. The fruit is a berry. It is long and red but matures to a purple-black. The berry is larger than a Youngberry and has a dull colour because of fine hairs on the surface.

### Distribution

It is a temperate plant. It prefers fertile, well drained soil. It does best in full sunlight. They need cool conditions and moist soil. It suits plant hardiness zones 5-10.

### Found in:

Australia, Tasmania,

### Use

The fruit can be eaten fresh.  
 They can also be used for jam, cakes, pies and tarts and other desserts.  
 They are also used for juice.

### Cultivation

The canes should be tied onto a trellis. Each year the old canes are removed and new canes are tied up. Tips can be rooted in late summer and autumn. Occasionally the roots can be divided.

### Production



Please Note: Except where otherwise noted, content on this site is licensed under a Creative Commons Attribution 3.0 Licence - this means you can share it freely, as is and with acknowledgement.



## Nutritional Values

*Rubus x loganobaccus*

Edible Part	/100 g edible portion	Moisture %	Energy KJ	Energy Kcal	Protein g	Provit A µg	Vit C mg	Iron mg	Zinc mg
Fruit		76.3	368	88	1.0	4	6.2	0.43	0.2



**FOOD PLANTS INTERNATIONAL**



***Helping the Hungry Feed Themselves Well...***  
***... through the strategic use of God's amazing natural resources***

