GOOD GARDENING AND GROWING ROOT AND GRAIN CROPS IN VIETNAM

PRACTICAL WAYS OF GROWING LOCAL FOOD PLANTS AND DOING IT WELL







Good gardening and growing root and grain crops in Vietnam



Food Plant Solutions produces educational materials to enable people to understand the nutritional value of local food plants and increase awareness of highly nutritious plants that are adapted to the local environment. Some of these plants are under-utilised species and many are superior to imported foods and plants. Food Plant Solutions produces these materials because every minute of every day, five children under the age of five die from malnutrition.

We welcome and encourage your support.

Food Plant Solutions - A project of the Rotary Club of Devonport North & Rotary District 9830.

This booklet is based on information from the Food Plants International (FPI) database, "Edible Plants of the World", developed by Tasmanian agricultural scientist Bruce French.

Good nutrition is simple

Grow and eat a wide range of food plants.


Then if a nutrient is missing from one plant, it will be included in other plants and produce a balanced diet.





Healthy Diets

All people, and especially children, should eat a wide range of food plants to stay healthy. This should include some plants from each of the food groups – energy foods, growth foods and health foods. Then each of the nutrients required by our bodies will be met in a balanced manner.







Local plants give a regular food supply

Use a range of local or well adapted plants to get a regular supply of food.



Because they are local, they will have already survived local conditions and pests.




They each have different ways to survive bad conditions or bad seasons.



Agro-ecology - growing plants a natural way



Growing foods in a mixed garden is a good and simple way to reduce pests and disease.



Agro-ecology - how plants grow in nature

Plants don't grow in rows in nature.

Growing only one type of plant is not used in nature.

Lots of varieties are maintained in nature.

In nature, the right plant grows in the right place.

In nature, fruit is produced in season.

Nutrients are recycled in nature.

Natural systems are sustainable.

In nature, the soil remains alive and humus rich.

Mixed cropping is good

Amaranth and maize mixed.





Yams, bananas & vegetables.

Information on gardening



Deficiencies

We all need to learn together and share what we know.



Seed-saving



Pests



7

Are your plants healthy?

Plants show special signs when they are not growing well.


This maize leaf is indicating the plant is short of a nutrient called nitrogen. It shows a dry 'V' shape down the centre of the oldest leaves. Other grass plants show similar signs.

Nitrogen is in the air, but plants cannot use it unless small bacteria in the soil, and on the roots of bean family plants, change it into a form plants can use.



A bucket of nutrients!

If we imagine soil as being like a bucket of nutrients, then we need to fix the lowest hole, (or add the nutrient which is in shortest supply), before the bucket can carry anything more.



Different plants grow on different soil types



When nitrogen is short...



Pineapple plants turn red.

Nitrogen is important for plants to grow healthy leaves.





Grass plants have a dead 'V' shape in the old leaves.



Old leaves go yellow.

Beans provide protein and restore soils

Beans have special bacteria attached to their roots that allow them to take nitrogen from the air and put it into the soil for plants to use. It is free fertiliser!





Climbing beans can be allowed to climb up corn in gardens and still get good crops of both beans and corn.


Burning loses nutrients and destroys soils

Burning is a quick and easy way to clear up a garden site, but wherever possible, plant material should be left to rot back into the soil.

This provides nutrients and helps the bacteria and other living things in the soil that are so important for plant growth.

A soil with humus, or rotted plant material, does not lose nutrients during heavy rain.

Nitrogen (and Sulphur) get lost into the air as plant material is burnt. Other plant nutrients, like potash, remain in the ashes.



Making compost



Don't burn rubbish - compost it!

Compost is perfect for small backyard gardens.




How to make compost

The rules for compost making:

- Build a simple, open box to keep animals out.
- Add some old rotting material to start the process.
- Mix green leafy and dry plant material.
- Allow air to get into the compost.
- Keep the compost bed moist.
- Add anything that has been living before.
- If possible, turn the heap to allow it to heat up and break down properly.

The reasons for compost



Compost should become hot to kill weeds and pests.

Save your own seed

Plants grown from seed that is saved locally usually get a lot less disease, as they are adapted to the area.





Air-layering


Air-layering is a special way of taking cuttings. A shallow cut is made around a small branch while it is still on the tree. Some soil and mulch is wrapped around this and covered with plastic. It soon forms roots. It can then be cut off and planted.



If a sweeter or preferred fruit or nut is found, it is best to grow it from cuttings, or air-layering, so the new tree is the same as the old.

Some diseases tell a story

The first rule in managing pests and diseases is to grow the right plant in the right place, and to grow it well, so it can stay healthy.





Some diseases tell a story

Elsinoe scab on sweet potato usually tells us three things:

- The soil is getting poor and low in nutrients.
- The sweet potato is a variety that gets the disease more easily.
- The variety of sweet potato may have come from another country without the disease, so it has no resistance.



Reduce the risk by:

- Improving the soil.
- Choose a local, resistant variety.



Banana diseases



Several different fungi cause leaf spots on banana leaves, especially in wet seasons.



Sigatoka leaf spot



Choose banana varieties that show less of these diseases.



Banana pests

Using a range of crops, and a mix of varieties, is normally a good safeguard against insect pest damage.







Banana insect pests



Banana scab moth is a very small moth that hides from the sun under flower bracts. The grubs spoil the fruit. Pull flower bracts off and grow varieties with widely spaced fruit.

Banana weevil borer can dig into the roots of banana plants causing them to fall over.



Banana insect pests

Shot hole weevil:

several caterpillars, grasshoppers and weevils

chew banana leaves.

Grow plants well so that new leaves grow quickly.



Rhinoceros beetle: some Rhinoceros beetles and taro beetles can dig into banana stems and roots and make plants weak.



Root and grain crops in Vietnam




Root crops are perfect for hot tropical climates.

These foods are the backbone of the country, so we need to get to know them very well.










Root and grain crops provide energy



Root and seed crops are important foods for energy.





Growing taro



Chinese taro

- Chinese taro is best grown from the top of the corm in soils that are not wet.
- It takes about 9 months to be ready to eat.
- It can grow in moderate shade.

- Taro grows best from the top of larger corms.
- It can grow in moving water and light shade.
- It takes 6-9 months to be ready to eat.



Taro diseases

Alomae / Bobone virus



Use a mix of varieties and mixed cropping to reduce damage.

Taro blight - a devastating fungal disease. The fungus spreads in the rain on hot, wet nights.



Taro blight and Alomae / Bobone virus are the most serious taro diseases.

Taro diseases

Taro mosaic virus



Taro shot hole - a minor fungal disease



Taro diffuse yellow leaf spot



Taro insect pests

White fly



Cluster caterpillar



Taro beetle



Taro insect pests

Aphids sucking sap



Taro hawkmoth



Grasshopper nymphs



Growing sweet potato

Sweet potato needs:

- Air in the soil. Plant them in mounds if the soil is wet or clay.
- A soil rich in nutrients, particularly potash (ashes).
- A position in full sun.



There are many different types of sweet potato.
Some grow quickly, but only give small amounts of food. Grow a mixture to make meals more interesting.

Sweet potato diseases

Wrinkled sweet potato leaves.

This fungus scab gets bad when soils are poor, and also occurs on varieties that are not resistant.




Growing yams

- Yams should planted into a loose, friable, fertile soil.
- They need plenty of sun.
- They should have strong stakes about 2 m tall.
- A large section of the top of the old yam tuber is the best planting material.
- Yam tops are normally stored in a cool, dry place until they develop shoots.



Planting tops



Yam diseases

Yam anthracnose – leaves can turn black and die early due to a fungus that gets worse in older plants, in wet seasons, and when plants get

damaged.



Yam rust – yellow rust-coloured lumps can occur in some varieties and damage leaves.

Yam diseases

A virus-affected yam with small yellow leaves. Diseased plants should not be used for planting material.





This obvious leaf spot due to a fungus does not cause serious damage if plants are growing well.

Growing cassava

Cassava is a root crop that is easy to grow, can be stored in the ground, will grow in poor soils and survive dry times.

Plant woody sections of the stem (about 15 cm long) in the ground at any angle.

If the soil is loose, it does not have to be dug first. Crops are usually harvested 10 - 14 months after planting. Yields of roots are lower in very acid soils and in shady places.




Cassava should always be well cooked as it contains a bitter poison called cyanide that can build up in the body and damage nerves. Cooking removes this.

Leaves can be cooked and eaten.


Some problems with cassava

Older leaves going yellow means the soil is short of nitrogen.





Leaves often get brown spots due to a fungus. It does not normally get too bad in good soils.



Young leaves turn yellow when the soil is sour - e.g. in limestone and coral sites.



Acknowledgements



This publication was made possible through the generous support of the Rotary Club of Hobart.

It would have not been possible without the commitment and support of the various volunteers who have shared the vision and unselfishly given their time to support this project.

Review, layout and formatting - Lyndie Kite, Rick Campbell and John McPhee

For further details contact us at: info@foodplantsolutions.org, website: www.foodplantsolutions.org

Food Plant Solutions operates in accordance with Rotary International Policy but is not an agency of, or controlled by, Rotary International.

Image acknowledgements

Images used in this publication are drawn from the Food Plants International database apart from those noted below.

Scientific name	Common name	Image URL
Mucuna pruriens	Velvet bean	http://www.thenaturalman.net/wp-content/uploads/2016/03/Mucuna pruriens-1.jpg

Notes





